#### **Study Title:**

# Comparison of Methyl Bromide Gas Concentrations in the Tarp Soil Inter-space: Deep Broadcast Tarped vs. Shallow Broadcast Tarped Fumigation RECEIVED

Authors: Matt Gillis, Principle Investigator George Smith, Principle Analyst OCT 03 2003

BY PEST/HEGISTRATION ID#

Test Facility & Performing Analytical Laboratory:

Bolsa Research 8770 Hwy. 25 Hollister, CA 95023 Test Facility Project ID# TC440 Analytical Lab Project ID# BR884 Contact: George Smith (831)637-9776

Sponsor and Submitter:


TRICAL, Inc. 8770 Hwy. 25 Hollister, CA 95023 Contact: Matt Gillis (831)637-0195

Report Revision Date:

September 25, 2003

Field and Analytical Phase completed:

August 11, 2003



# **Table of Contents**

TABLE OF APPENDICES	3
BACKGROUND AND PURPOSE	4
OBJECTIVES	5
EQUIPMENT & MATERIALS	5
METHODS	6
STUDY FIELD REPLICATION	6
GROUND PREPERATION	
TREATMENTS	6
UNDER TARP AND SOIL GAS SAMPLES	7
TC440.1 Field 1	8
TC440.2 Field 2	8
Sample Storage	8
GAS SAMPLE ANALYSIS	
QUALITY CONTROL AND SAMPLE RECOVERY	9
SOIL/TARP TEMPERATURE DATA	
SOIL CHARACTERIZATION	10
RESULTS	11
CONCENTRATION VERSUS TIME PROFILES	11
TC440.1 - Field 1	
TC440.2 - Field 2	12
SOIL TEMPERATURES.	13
SOIL CHARACTERIZATION	13
SUMMARY	14
LITERATURE CITED	15

# **TABLE OF APPENDICES**

Appendix # §	Contents
1	Field Maps and General Information
2	Application Rates and Mass Applied to Field Plots
3	Soil Gas Data Analysis Tables - TC440.1
4	Soil Gas Data Analysis Tables - TC440.2
5	Soil Gas Sample Recovery and Quality Control
6	Graphs of Methyl Bromide Gas Concentrations over Time and Summary of Methyl Bromide CT
7	ANOVA Tables
8	Analytical Procedures and Sample Chromatograms and Calibration Curve
9	Soil Temperature Graphs
10	Soil Moisture and Bulk Density

§Note: Tab divider numbers are the same as the Appendix numbers.

#### **BACKGROUND AND PURPOSE**

Emission ratios established by the DPR directly influence buffer zone distances since increased emissions result in higher offsite concentrations, all else being equal. The distances have a direct impact on the agricultural industry that utilizes soil fumigation to control pests. The greater the distance, the greater the impact. Therefore, it is imperative that the distance be accurate not just to protect human health, but, also not unreasonably restrict farming practices. The current emission ratio for deep tarped fumigation is 0.40, the same as deep non-tarp. Shallow broadcast tarped is 0.25. It is inferred from existing scientific data that increased application depth is a significant factor in reducing emission rates (Gan et al., 1997, Yate et al., 1997). It would seem logical that emission rates from deep tarped fumigation should be less than a shallow tarped fumigation if depth is a significant factor compared with other elements of the application method that influence emissions. DPR expressed concern that the application methods are different enough, due to the shanks and injection method, that there could still be greater peak emission rates from the deep tarped application method.

Emissions and offsite air concentrations are directly proportional to methyl bromide gas concentrations directly below the tarp surface. With the emission ratio being well established for broadcast shallow applications, an estimate of relative emissions from the tarped broadcast deep method can be obtained by comparing the relative methyl bromide gas concentrations under the tarp over time for both the methods. This study thus bridges the relationship of emissions between the two application methods by making that comparison. This approach was discussed at a meeting with the DPR staff on April 21 and confirmed in a DPR letter dated 4/28/03.

This study also tests the hypothesis that increased application depth in deep tarped fumigations will result in lower peak under-tarp concentrations and subsequently reduced peak emissions compared with tarped shallow applications and is more significant than the injection method used.

#### **OBJECTIVES**

- 1. Monitor concentrations of methyl bromide soil gas under-tarp within the tarp-soil inter-space at selected sampling intervals in order to determine differences between the application methods over the course of the fumigation.
- 2. Perform a comparative analysis of soil gas concentrations and CT between the various treatments.
- 3. Record/characterize soil and tarp-soil inter-space temperatures during the study.
- 4. Collect pre-treatment soil samples to characterize the test system soil.

#### **EQUIPMENT & MATERIALS**

Primary equipment and materials used in to conduct this study are listed below:

- 1. Prepared Field plot: (see Study Field maps and General Information in Appendix 1).
- 2. Application Equipment for methyl bromide: Caterpillar D4E with broadcast fumigation application (TRICAL).
- 3. Methyl Bromide fumigant: Methyl Bromide 98%, EPA Reg. No. 8536-19-11220; application rates for treatments recorded in Table 1 in Appendix 2.
- 4. Selected tarp film for study treatments: 13 foot wide rolls:
  - Cadillac Products, Inc. 1.0 mil Clear High Barrier Fumigation Film (High Density Polyethylene Film) CPI# 0048061
- 5. Access ramps tarp strips
- 6. Gas sampling probes, septums and clamps.
- 7. Gas tight syringes and transport containers: syringes, B-D 2066, 20 ml; coating solution; Ice chest with syringe racks.
- 8. Analytical equipment: Gas chromatograph
  - Syringe gas analysis: Buck Scientific Model 901 G.C. equipped with an FID detector and gas sampling loop / valve system. Data integrated and logged with Peak Simple software.
- 9. Hobo Data Loggers with soil temperature probes for collecting soil temperatures.
- 10. Soil Core Sampler: AMS 404-63, 1.5 inch I.D. X 6 inch length retaining cylinder.

#### **METHODS**

#### **Study Field Replication**

This study was replicated at two separate field locations, TC440.1 and TC440.2.

## **Ground Preparation**

For both locations, trees and vines had been the previous crops. These were removed the previous season. When the ground was dry in the summer, it was ripped to a depth of 4.5 feet. The ground was then disked both ways and culti-packed/ring-rolled. The fields were then laser leveled. Prior to the fumigations, approximately a half-inch of water was applied to the surface of the soil and disked in.

Soil preparation for both methods and in both fields was kept the same to isolate the variable of application method alone. This resulted in the soil in the shallow application to be worked deeper than usual, which would promote downward movement of gas and conversely lower concentrations in the tarp-soil inter-space. The presence of plow pans and greater moisture at lower depths in a field prepared for a typical commercial shallow tarped application would generally promote more upward diffusion of the gas to the surface resulting in higher gas concentrations within the tarp-soil inter-space. Therefore, the experimental design provides an added conservative margin to the interpretation of hypothesized differences in the data.

#### **Treatments**

For this study, there were two treatments, tarped broadcast shallow and tarped broadcast deep. Each treatment was replicated three times as discrete application plots, 3 passes, 33 feet X 150 feet (see study field maps in Appendix 1). The treatment replicates were defined as *plots* and were numbered 1 through 6 according to the sequence of applications in each study field. Plots had an untreated space between them. Replicate plots from each treatment were paired in three blocks in each study field to account for any field variability across the fields. Application sequence varied between two study fields TC440.1 and TC440.2 in order to randomize the effect of the application.

The target dosage was 400 lbs/acre in each treatment. Actual application rates were determined for each replicated plot from the flowmeter computer and by weighing the fumigant cylinders. A separate fumigant cylinder was used and weighed for each replicated plot. The application rates and statistics are tabulated in Table 1 in Appendix 2. Actual application rates varied within reasonable limits except for one shallow broadcast treatment replicate (TC440.2, Plot 1) that received a 43% lower application rate.

Broadcast deep applications were applied at a depth of 21 inches with the standard deep shanks. Broadcast shallow applications were applied with a noble plow at a depth of 10 inches. Both application methods involved the same standard tarp laying system and used the same roll of tarp film for both treatments in each field and a second roll from the same batch on the second field.

#### **Under Tarp and Soil Gas Samples**

For both TC440.1 and TC440.2, a total of 12 soil-tarp inter-space gas samples were collected per treatment per sampling interval, 4 sample replicates per plot. The center pass in each plot was used for sampling and the outer passes were border passes. Sampling locations were selected in the central portion of the pass sampled, two in the central portion of the pass and two down the edges of each selected treatment pass. Gas tight, 20 cc glass syringes with 1-inch stainless steel needles were used to collect gas samples of 15 ml each. Gas samples were taken from the tarp / soil interface in accordance with Bolsa Research Associates SOP # BR-FD-003; "Soil Gas Sampling Methods", except for a slight modification; samples were collected via 1/4" diameter flexible polyethylene tubing as collection probes placed in the tarp-soil inter-space instead of poking through the tarp film. Septa were attached to the end of the tubes and the insertion holes were taped over so as to limit the escape of any gas from under the tarps. Probes were purged prior to sampling.

The fumigations were sequenced so as to facilitate the sampling schedule and subsequently provide higher precision on elapsed times from application to sampling. This was

important to minimize experimental error associated with sampling time. The result was that elapsed sampling times were within a few minutes of each other.

#### TC440.1 Field 1

Samples were collected over a 5-day period following application, 10 sampling intervals total. To capture peak concentrations, five sampling intervals were collected on the first elapsed day at approximately 0.5, 3, 9, 16 and 24 hours from application (time 0). Subsequent to the first 24-hour period following application, samples were collected at 33 hours (~1.5 days), 52 hours (~2 days) and then approximately every 24 hours, once per day, for the duration of the study. The last samples were collected at 5 elapsed days (120 hours) from application. Actual sampling times were recorded.

#### TC440.2 Field 2

Samples were also collected over a 5-day period following application, 12 sampling intervals total. To capture peak concentrations, five sampling intervals were collected on the first elapsed day at approximately 2, 3.5, 10, 16 and 24 hours from application (time 0). Subsequent to the first 24-hour period following application, samples were collected at 33 hours (~1.5 days), 52 hours (~2 days) and then approximately every 24 hours, once per day, for the duration of the study. The last samples were collected at 5 elapsed days (120 hours) from application. Actual sampling times were recorded.

## Sample Storage

Samples were stored in an ice chest container at ambient conditions to minimize temperature fluctuations until analysis. The syringes were subsequently analyzed by gas chromatography within a maximum of 19 hours from collection, with elapsed time from collection to analysis determined for each sample. The average time to analysis for TC440.1 was 6:44 hours, minimum was 3:10 hours and the maximum was 13:40 hours. The average time to analysis for TC440.2 was 8:48 hours, minimum was 3:00 hours and the maximum was 18:56 hours.

#### Gas Sample Analysis

The gas samples were analyzed on a Buck Model 910 Gas Chromatograph in accordance with GC analytical procedures detailed in Bolsa Research Associates SOP # BR-AP-001, "Film Permeability Testing"; sections 6, 9, 10, 11.1, 11.3, and 11.5. Analytical method details, sample chromatograms and sample calibration curves used in this study can be found in Appendix 8. Results of the sample analysis are contained in Table 2 and 3 in Appendix 3 and 4, respectively.

### **Quality Control and Sample Recovery**

To maintain and monitor the quality of the analytical portion of this study, the following procedures were followed: 1) For each sampling interval, six "recovery/storage stability" samples were prepared; 2) For monitoring the accuracy and precision of the GC program, a calibration standard within the range of the expected sample results and the current calibration curve was run periodically during each GC run, typically after each 10 samples. Table 4 and 5 in Appendix 5 contain the results of the recovery analysis.

Six samples per interval were collected from a methyl bromide certified standard cylinder at the time of sample collection and stored in the same manner as the test samples. This was done by taking a standard into the field and filling the designated sample syringes from the standard and storing them with the field samples during the sampling, storage, and transportation to the lab. Three samples were collected at the beginning and three at the end of the sample collection period. Collection times and analysis times were recorded for treatment samples and recovery samples. The samples were analyzed during the same GC analytical run as the other samples and compared with immediate injections of the same standard (time 0,  $t_0$ ). Recovery of gas samples with syringes is an inverse function of time. Estimates of recovery were calculated for each sampling interval by regressing the response area of the  $t_0$  standards and field recovery samples versus the elapsed time from collection to analysis for the sample. The slope reflects the rate of sample loss. The intercept reflects the response of the standard injected immediately (time 0). The regression equation was utilized to calculate a recovery correction factor for each sample based upon the individual sample elapsed time from collection to analysis. As a

comparison check on the regression, the arithmetic mean recovery percentage was calculated for each interval based upon the average response for the average sample elapsed time from collection to analysis. In addition an estimate of 24-hour losses is calculated for each interval data set using the regression formula. The recovery correction factors are listed with the analytical results along with the calculated recovery percentage. Sample concentrations were adjusted using the recovery correction factor. Adjusted sample values were used for evaluation of treatment effects.

As an additional quality control check on analytical variability the coefficient of variation (as percentage standard deviation) was determined for the time 0 recovery standards.

### Soil/tarp Temperature Data

Soil temperatures were monitored under the tarp in the tarp-soil inter-space, 6", 12" and 18" depth in representative plots for each of the treatments. The purpose of monitoring soil temperature and the tarp-soil inter-space temperature was to characterize conditions under which the test was done. Soil temperatures influence gas diffusion through the soil and film permeability varies directly with temperature. Soil-tarp inter-space temperatures represent rather closely the temperature of the tarp film. Data was recorded using Hobo micro data loggers at 6 minute recording intervals. Three separate monitoring locations were monitored with three separate loggers, two in TC440.1 and one in TC440.2 to provide replication of data. Since the temperature probes were not placed until after application, there was missing data for the first few hours. Soil temperature trends tend to follow semi-predictable sinusoidal trends, so data for the first few hours was estimated by back extrapolation using data from the same period the second day of the study.

#### **Soil Characterization**

The USDA Soil Survey for Kings County, CA, was referenced for the soil classification and general characteristics. The soil type in TC440.1 is classified as Kimberlina fine sandy loam, saline alkali. The soil type in TC440.2 is classified as Kimberlina fine sandy loam, sandy. Information and soil maps for the study sites are in Appendix 10.

To characterize the soil conditions at the time of fumigation, soil sample cores were collected at four depths, 0-6", 6-12" and 12-18" and 18-24"; at the three locations in each treatment block area. Samples were analyzed for soil moisture, texture, and bulk density. Soil sampling and analysis was done in accordance with Bolsa Research Associates SOP # BR-AP-004; "Determination of Soil % Moisture, Bulk Density, and Texture".

#### RESULTS

#### **Concentration versus Time Profiles**

The methyl bromide gas concentrations for both TC440.1 and TC440.2 followed a trend that was expected and also observed in previous studies. Graph 1 and 3 depict the interval average trends in Methyl bromide gas concentrations over the course of the two fields studied. The deeper methyl bromide is applied in the soil, the greater distance the gas travels through the soil profile to get to the surface. One could surmise that this would subsequently result in greater distribution of the gas in the soil profile and a greater length of time for the gas to arrive at the surface. This is illustrated in both TC440.1 and TC 440.2, with lower peak concentrations in the tarp-soil inter-space and a longer time to reach peak concentrations with the deep application.

#### TC440.1 - Field 1

In TC440.1, the concentrations in the deep treatment were significantly greater than the shallow treatment at the 99% level for the first three intervals. Interval 1, 0.5 hours from application was 30 times higher than the deep treatment and this interval had the maximum average concentration for the shallow treatment. The maximum average concentration for the deep treatment occurred later, as expected, during interval 3, 9 hours from application. Concentrations during interval 3 in the shallow treatment, however, were still 26% higher than the deep treatment. Intervals 4 and 5 had no significant differences between treatments at the 95% level (see ANOVA Tables 6 through 15 in Appendix 7). The deep treatment had slightly higher concentrations (statistically significant at the 99% level) than shallow for the remainder of the study, intervals 6 through 10. However, maximum deep

treatment concentrations at interval 6, 33 hours from application, were reduced to less than half of the maximum deep treatment concentrations that occurred in interval 3 and 25% of the maximum concentrations that occurred in the shallow application.

Subsequent intervals 7 through 10 declined steadily. Trends of individual plots replicates are depicted in Graph 2.

The mean CT was calculated for comparison as an integrated measure of time and concentration. The results are contained in Table 26 in Appendix 6. CT was calculated from the soil-tarp inter-space methyl bromide gas concentrations for the specific interval and the interval period for each treatment. The interval period was obtained by taking the average time between the current and previous interval sampling time and subtracting it from the average time between the current and subsequent interval. The accumulative CT values were obtained from the summation of interval CT values. Accumulative CT in the Shallow treatment for the first 24 hours was 43% greater, and for the first 33 hours was 23%, greater than the deep treatment.

#### TC440.2 - Field 2

During TC440.2, the gas concentrations followed similar trends to the TC440.1. Graph 3 in Appendix 6 depicts the trend over the course of the study. Concentrations in the shallow treatment were significantly greater at the 99% level than the deep treatment during the first two intervals (see ANOVA Tables 16 through 25 in Appendix 7). Interval 1, 2 hours from application was 6 times higher than the deep treatment and this interval had the maximum average concentration for the shallow treatment. The maximum average concentration for the deep treatment occurred later, as expected, during interval 3, 10 hours from application. Although the average concentration was higher for the shallow treatment in the third interval, it was not statistically significant. This is due to the low application rate in Plot 1 (replicated Shallow treatment), which was 43% lower than the other plots. If this was removed or adjusted, the mean would be significantly higher. Intervals 4 and 5, 16 and 24-hour samplings were, again not significant at the 95% level. Again, the deep treatment had slightly higher concentrations (statistically significant at the 99% level) than shallow for the remainder of the study, intervals 6 through 10. Maximum

deep treatment concentrations at interval 6, 33 hours from application, were also reduced to less than half of the maximum deep treatment concentrations that occurred in interval 3 and 20% of the maximum concentrations that occurred in the shallow application.

Concentrations were on a steady decline from interval 6, 33 hours and onward from to completion of the study. Trends of individual plot replicates are depicted in Graph 4.

Accumulative CT in the Shallow treatment for the first 24 hours was 45% greater, and for the first 33 hours was 28%, greater than the deep treatment. The comparison is depicted in Graph 5 in Appendix 6. A summary of the results are contained in Table 27 in Appendix 6.

#### **Soil Temperatures**

Soil temperatures ranged from 57°F to 158°F. The soil temperature trends are depicted in Graphs 7 through 9 in Appendix 9. Surface temperatures in the tarp-soil inter-space show as much as a 95°F temperature change between nocturnal and diurnal conditions at the surface. Temperature fluctuation shows typical decreasing amplitude with depth. Temperatures at 18" were approximately 85 to 95°F over the course of the study in a general upward trend with nocturnal to diurnal fluctuations of only 2 to 3°F. As surface temperatures cool, the tarp becomes less permeable and slows emissions and, conversely, increases permeability with soil/tarp warming creating a bi-phasic trend. This is apparent in both studies in the increased concentrations at interval 5, the following morning after application when tarp-temperatures were the coolest. The lower permeability/emissions results in greater retention of gas beneath the tarp during the cool morning hours.

#### Soil Characterization

The soil moistures and bulk densities in study field for TC440.1 and TC440.2 are tabulated in Table 28 in Appendix 11. Textural analysis indicated the soil to be a sandy loam down to a depth of 24". Soil moisture varied from 6.2 to 8.2% for TC440.1 and 1.2 to 4.3% for TC440.2.


#### **SUMMARY**

The results of this study illustrated that the deep tarped application method resulted in significantly lower soil-tarp inter-space methyl bromide gas concentrations compared with the shallow treatment during the first 24 hours when peak concentrations for both application methods were the greatest. The 24-hour accumulative CT was 43% and 45% greater in the shallow treatment compared with the deep treatment, for TC440.1 and TC440.2, respectively. This provides support for the request that the emission ratio used for determining deep tarped buffer zones should be revised downward.

## LITERATURE CITED

Gan et al., 1997. "Laboratory-scale measurements and simulations of effect of application methods on soil methyl bromide emission", J.Environ.Qual., 26:310-317.

Yates et al., 1997. "Methyl bromide emissions from agricultural fields: bare-soil, deep injection", Environ. Sci. Technol., 31:1136-1143.




Signature:

Date: 8 DUG 03

# **General Information Data Sheet**

Project Number:	TC440.1	(Field 1)
-	Bromide Gas Concentrations in France of Tarped vs. Shallow Broadcast T	the Tarp Soil Inter-space: Deep
	Soil Gas, soil cores (char.), Soil	
Application and Study Date(s):	Application - 8/6/03	Study - 8/6/03 through 8/11/03
Purpose:	Bridge the relationship of emissions be comparing the relative under tarp meth	nyl bromide gas concentrations over time
Principle Investigator:	Matt Gillis	Phone #: (831)637-0195
Study Director:	Tom Duafala	Phone #: (831)637-0196
TRICAL Fieldman:	Bob Montgomery	Phone #: (559)737-3168
Grower:	Enns Packing	Phone #: (559)897-7700
Crop:	N/A	
Target Pest(s):	Nematodes, Weeds	
Location:	7th and Elder, Hanford, CA	
Site or Field #:	P1	
Use Permit #:	16-03-5401486	
Acreage:	0.67 acres treated	
Driver:	Johnny Marroquin	Tractor #s: Deep #219; Shallow #359
Tractor Configuration:	Shallow Broadcast Tarped Noble Plow	; Deep Shank Broadcast Tarp
TARP FILM	Cadillac, 1.0 mil Clear High Barrier	Fumigation Film
Fumigant:	Methyl Bromide 98%	EPA Reg.No.: 8536-19-11220
Dosage:	Target Dosage = 400 lbs/acre	
Method of Application:	Shallow Broadcast Tarped Noble Pl	low; Deep Shank Broadcast Tarp
Injection Depth(s):	Shallow = 10"	Deep = 21"
Bed/Shank Spacing:	Shallow = 12"	Deep = 66"
Start of Applications:	Shallow - 7:27 am	Deep - 6:55 am
End of Applications:	Shallow - 7:50 am	Deep - 7:22 am




Signature:

Date: 814603

# **General Information Data Sheet**

Project Number:	TC440.2	2 (Field 2)
	Bromide Gas Concentrations in Farped vs. Shallow Broadcast T	the Tarp Soil Inter-space: Deep
Data Types Collected:	Soil Gas, soil cores (char.), Soil	Temp., Meteorological
Application and Study Date(s):	Application - 8/6/03	Study - 8/6/03 through 8/11/03
Purpose:	Bridge the relationship of emissions be comparing the relative under tarp mether	etween the two application methods by myl bromide gas concentrations over time
Principle Investigator:	Matt Gillis	Phone #: (831)637-0195
Study Director:	Tom Duafala	Phone #: (831)637-0196
TRICAL Fieldman:	Bob Montgomery	Phone #: (559)737-3168
Grower:	Enns Packing	Phone #: (559)897-7700
Crop:	N/A	
Target Pest(s):	Nematodes, Weeds	
Location:	7th and Elder, Hanford, CA	
Site or Field #:	P2	
Use Permit #:	16-03-5401486	
Acreage:	0.68 acres treated	
Driver:	Johnny Marroquin	Tractor #s: Deep #219; Shallow #359
Tractor Configuration:	Shallow Broadcast Tarped Noble Plow	; Deep Shank Broadcast Tarp
TARP FILM	Cadillac, 1.0 mil Clear High Barrier	
Fumigant:	Methyl Bromide 98%	EPA Reg.No.: 8536-19-11220
Dosage:	Target Dosage = 400 lbs/acre	
Method of Application:	Shallow Broadcast Tarped Noble Pl	low; Deep Shank Broadcast Tarp
Injection Depth(s):	Shallow = 10"	Deep = 21"
Bed/Shank Spacing:	Shallow = 12"	Deep = 66"
Start of Applications:	Shallow - 8:15 am	Deep - 8:46 am
End of Applications:	Shallow - 8:40 am	Deep - 9:07 am

PERMIT #: 16-03-5401486	GROWER: Euns Packing
SITE: PI 6P2	LOCATION: 14 Elda Ph 0977700
7.46	INDICATE
A A A A A A A A A A A A A A A A A A A	
	DAT .
COMMENTS: 2 200 400# MB 98-2 outs buffer 280 I I Man B	ER 160 Mch 5-b1
SUBMITTED BY:	DATE: TIME:



Copyright © 1988-1997, Microsoft Corporation and/or its suppliers. All rights reserved. Please visit our web site at http://maps.expedia.com.

Page 1

Table 1
Evaluation of Application Rate and Mass Applied to Field Plots

Project Number: TC440

Comparison of Methyl Bromide Gas Concentrations in the Tarp Soil Inter-space:

STUDY TITLE: Deep Broadcast Tarped vs. Shallow Broadcast Tarped Furnigation

Product Source: TRICAL Furnigant Inventory, Goshen Facility

Fumigant: METHYL BROMIDE 98%

EPA Registration No.: 8536-19-11220

									Application os./acre)							Upon Flov	vmeter		Upon Cyl.	Wgts.
Assigned Cylinder No. <sub>§</sub>	Cylinder Filled Weight		Net Cylinder Amount Used (Ibs)	Flowmeter Amount	Field Plot #	Treatment	Field Plot Area (acres)	Based Upon Flowmeter		Rate Differenc e		Cyl. Wgt. % Difference from target rate		Flowmeter % Difference from target rate		Deviation of Application Rate (lbs./acre)	% Std.Dev. (CV)	Average Treatment Application Rate (lbs./acre)	Deviation of Application Rate (lbs./acre)	% Std.Dev. ( <i>CV</i> )
2	426	375	51	45	TC440.1-1	DEEP	0.112	401	455	54	55	14%	1	0%						
3	430	383	47	43	TC440.1-2	DEEP	0.112	384	419	36	19	5%	-16	-4%						Ì
4	426	382	44	45	TC440.1-3	DEEP	0.112	401	392	-9	-8	-2%	1	0%	395	10	3%	422	31	7%
9	435	390	45	43	TC440.1-4	SHALLOW	0.112	384	401	18	1	0%	-16	-4%						
12	428	382	46	46	TC440.1-5	SHALLOW	0.112	410	410	0	10	3%	10	3%	İ					
8	430	388	42	44	TC440.1-6	SHALLOW	0.112	392	375	-18	-25	-6%	-8	-2%	395	14	3%	395	19	5%
14	428	402	26	44	TC440.2-1	SHALLOW	0.114	387	229	-158	-171	-43%	-13	-3%						
10	426	385	41	44	TC440.2-2	SHALLOW	0.114	387	361	-26	-39	-10%	-13	-3%		ĺ	1			
13	433	387	46	44	TC440.2-3	SHALLOW	0.114	387	405	18	5	1%	-13	-3%	387	0	0%	331	92	28%
5	433	377	56	45	TC440.2-4	DEEP	0.114	396	493	97	93	23%	-4	-1%						
7	430	380	50	44	TC440.2-5	DEEP	0.114	387	440	53	40	10%	-13	-3%						
6	422	380	42	44	TC440.2-6	DEEP	0.114	387	370	-18	-30	-8%	-13	-3%	390	5	1%	434	62	14%

<sup>&</sup>lt;sup>5</sup> Cylinder Serial No. recrded on raw data sheet

Plot 2-1 proportion of 400 lb rate =

Table 2 - SOIL GAS DATA ANALYSIS TABLE

Project #: TC440.1

Comparison of Methyl Bromide Gas Concentrations in the Tarp Soil Inter-space: Deep Broadcast Tarped vs.

**Shallow Broadcast Tarped Fumigation** 

Plot #	Application Date/Times:
Plot 1	8/6/03 6:58
Plot 2	8/6/03 7:08
Plot 3	8/6/03 7:17
Plot 4	8/6/03 7:29
Plot 5	8/6/03 7:41
Plot 6	8/6/03 7:47

Minimum ETA for Treatment Samples: 3:10
Average ETA for Treatment Samples: 6:44
Maximum ETA for Treatment Samples: 13:40

Syringe Sample Volume (ml): 15 mL MeBr Gas Conc (ppmv) Adjusted Times Sampling Location Elapsed Time MeBr Gas Treatmen Treatmen Sampling Plot Conc from Position Treatment Treatme Position (ppmv) Adjusted Replicate Replicate Replicate Treatment Recovery Interval CV Interval Std Interval CV Interval Interval Unadjuste Sample Interval Interval Std Interval CV % Time of Time from Date-Time of Correction Sample Rep (%SD) Average (%SD) Dev. Dev. (%SD) Average Position Treatment Collection Application Analysis (ETA) Factor Recovered Interval Plot # 8/6/03 7:28 0:30 8/6/03 14:48 7:20 1.061 94% 145 154 Α Center 4401001 8/6/03 7:29 0:31 8/6/03 14:50 7:21 1.061 94% 20 B 0" (STI) 4401002 Edge 8/6/03 14:52 7:21 1.061 8/6/03 7:31 0:33 307 94% 289 C DEEP Center 0" (STI) 4401003 0:34 8/6/03 14:55 7:23 1.061 8/6/03 7:32 100 106 147 120 81% 94% Ď Edge 0" (STI) DEEP 4401004 Pass 7:21 1.061 0:30 8/6/03 14:59 8/6/03 7:38 94% 444 471 0" (STI) DEEP Center 4401005 Pass 0:31 8/6/03 15:03 7:24 1.062 8/6/03 7:39 291 308 2 В Edge 0" (STI) 4401006 Pass 1.062 8/6/03 7:41 0:33 8/6/03 15:07 7:26 94% 604 641 1 C Center 0" (STI) DEEP 4401007 7:29 1.062 0:34 8/6/03 15:11 8/6/03 7:42 94% 467 496 479 136 2 D Edge 0" (STI) DEEP 4401008 Pass 8/6/03 15:14 7:27 1.062 0:30 8/6/03 7:47 94% 451 479 Center 0" (STI) 4401009 Α 8/6/03 15:19 7:31 1.063 0:31 8/6/03 7:48 451 479 94% В Edge 0" (STI) DEEP 4401010 41% 441 183 0:33 8/6/03 15:22 7:32 1.063 8/6/03 7:50 596 94% 561 С DEEP Center 0" (STI) 1 4401011 1384 164% 0:34 8/6/03 15:24 7:33 1.063 1298 1562 120% 642 964 150% 842 3425 3640 8/6/03 7:51 94% 3 D Edge 0" (STD) DEEP 4401012 Pass 0:30 8/6/03 15:27 7:28 1.062 8/6/03 7:59 94% 32162 34159 SHALLOW Center 0" (STI) 4401013 1.063 8/6/03 8:00 0.31 8/6/03 15:31 7:31 94% 34368 36516 SHALLOW В 0" (STI) 4401014 Edge Pass 1.063 8/6/03 15:33 7:31 8/6/03 8:02 0:33 94% 20943 22253 0" (STI) SHALLOW Center 8/6/03 15:37 7:34 1.063 29713 6734 23% 0:34 25925 8/6/03 8:03 94% 24390 D Edge 0" (STD | SHALLOW 4401016 Pass 7:30 1.062 8/6/03 15:41 0:30 0" (STI) SHALLOW 8/6/03 8:11 94% 8877 9432 Center 4401017 1.063 0:31 8/6/03 15:44 7:32 8/6/03 8:12 94% 14721 15643 SHALLOW В 0" (STI) 4401018 Edge Pass 8/6/03 16:15 8:01 1.067 8/6/03 8:14 0:33 94% 11949 12749 С 0" (STI) SHALLOW Center Pass 1.067 8/6/03 8:15 0:34 8/6/03 16:17 8:02 14948 15952 13444 3039 23% 0" (STD) SHALLOW Edge

Table 2

			San	npling Loc	ation			Tit	nes	<u> </u>						, ,	MeBr	Gas Conc (	(ppmv) Aa	ljusted	,		
Sample No.	Interval	Plot#	Sample Rep	Position	Depth	Treatment	Time of Collection	Elapsed Time from Application	Date-Time of Analysis	Elapsed Time from Collection to Analysis (ETA)	Recovery Correction Factor	Theoretical %	Sample MeBr Gas Conc (ppmv) Unadjusted for Recovery	Adjusted Sample Conc.	Treatment Plot Replicate Interval Average	Treatment Plot Replicate Interval Std Dev.	Treatment Plot Replicate Interval CV (%SD)	Treatment Interval Average	Treatment Interval Std Dev.	Treatment Interval CV (%SD)	Sampling Position Interval Average	Sampling Position Interval Std Dev.	Sampling Position Interval CV (%SD)
4401021	1	6	A	Pass Center	0" (STI)	SHALLOW	8/6/03 8:17	0:30	8/6/03 16:22	8:05	1.068	94%	9361	9994									
4401022	1	6	В	Pass Edge	0" (STI)	SHALLOW	8/6/03 8:18	0:31	8/6/03 16:24	8:06	1.068	94%	14898	15907	,								
4401023	1	6	С	Pass Center	0" (STI)	SHALLOW	8/6/03 8:21	0:34	8/6/03 16:27	8:06	1.068	94%	13557	14475							17177	9515	55%
4401024	1	6	D	Pass Edge	0" (STI)	SHALLOW	8/6/03 8:22	0:35	8/6/03 16:29	8:07	1.068	94%	18550	19809	15046	4053	27%	19401	8822	45%	21625	8297	38%
4401025	2	1	A	Pass Center	0" (STT)	DEEP	8/6/03 10:04	3:06	8/6/03 17:20	7:16	1.065	94%	2668	2841									
4401026	2	1	В	Pass Edge	0" (STI)	DEEP	8/6/03 10:05	3:07	8/6/03 17:26	7:21	1.066	94%	1617	1723				•					
4401027	2	1	c	Pass Center	0" (STI)	DEEP	8/6/03 10:06	3:08	8/6/03 18:09	8:03	1.072	93%	3294	3533									
4401028	2	1	D	Pass Edge	0" (STI)	DEEP	8/6/03 10:06	3:08	8/6/03 18:11	8:05	1.073	93%	2548	2733	2707	746	28%						
4401029	2	2	Α	Pass Center	0" (STT)	DEEP	8/6/03 10:13	3:05	8/6/03 18:13	8:00	1.072	93%	2742	2939									
4401030	2	2	В	Pass Edge	0" (STI)	DEEP	8/6/03 10:13	3:05	8/6/03 18:16	8:03	1.072	93%	3080	3303									]
4401031	2	2	С	Pass Center	0" (STI)	DEEP	8/6/03 10:15	3:07	8/6/03 18:18	8:03	1.072	93%	3086	3309								1	
4401032	2	2	D	Pass Edge	0" (STI)	DEEP	8/6/03 10:16	3:08	8/6/03 18:20	8:04	1.073	93%	6812	7307	4215	2069	49%						
4401033	2	3	A	Pass Center	0" (STT)	DEEP	8/6/03 10:22	3:05	8/6/03 18:23	8:01	1.072	93%	2912	3121									
4401034	2	3	В	Pass Edge	0" (STI)	DEEP	8/6/03 10:23	3:06	8/6/03 18:25	8:02	1.072	93%	2311	2478								ł	
4401035	2	3	С	Pass Center	0" (STI)	DEEP	8/6/03 10:25	3:08	8/6/03 18:25	8:00	1.072	93%	2311	2477							3037	371	12%
4401036	2	3	D	Pass Edge	0" (STI)	DEEP	8/6/03 10:26	3:09	8/6/03 18:25	7:59	1.072	93%	2311	2477	2638	322	12%	3187	1387	44%	3337	2010	60%
4401037	2	4	А	Pass Center	0" (STI)	SHALLOW	8/6/03 10:32	3:03	8/6/03 18:50	8:18	1.075	93%	15194	16332									
4401038	2	4	В	Pass Edge	0" (STI)	SHALLOW	8/6/03 10:33	3:04	8/6/03 18:53	8:20	1.075	93%	19109	20546				]					
4401039	2	4	С	Pass Center	0" (STI)	SHALLOW	8/6/03 10:34	3:05	8/6/03 18:55	8:21	1.075	93%	15242	16390	1								
4401040	2	4	D	Pass Edge	0" (STI)	SHALLOW	8/6/03 10:34	3:05	8/6/03 18:57	8:23	1.076	93%	14548	15648	17229	2237	13%						
4401041	2	5	A	Pass Center	0" (STI)	SHALLOW	8/6/03 10:44	3:03	8/6/03 19:00	8:16	1.074	93%	9861	10596									
4401042	2	5	В	Pass Edge	0" (STI)	SHALLOW	8/6/03 10:45	3:04	8/6/03 19:02	8:17	1.075	93%	12419	13347	4								
4401043	2	5	С	Pass Center	0" (STT)	SHALLOW	8/6/03 10:46	3:05	8/6/03 19:04	8:18	1.075	93%	10361	11137	<u>'</u>								
4401044	2	5	D	Pass Edge	0" (STT)	SHALLOW	8/6/03 10:47	3:06	8/6/03 19:07	8:20	1.075	93%	19296	20747	1395	7 4681	34%	4					
4401045	2	6	A	Pass Center	0" (STI)	SHALLOW	8/6/03 10:50	3:03	8/6/03 19:10	+	1.075	9376	9724	10455	5								
4401046	2	6	В	Pass Edge	0" (STI	SHALLOW	8/6/03 10:50	3:03	8/6/03 19:12	+	1.075	1 33 70	11667	12547	<u>'</u>								
4401047	2	6	С	Pass Center	0" (STI	SHALLOW	8/6/03 10:53	3:06	8/6/03 19:16	+	1.076	1 3370	12401	13340							13042	†	†·-· <b>1</b>
4401048	3 2	6	D	Pass Edge	0" (STI	SHALLOW	8/6/03 10:53	3:06	8/6/03 19:19	8:26	1.076	93%	13291	14303	1266	1 163	7 13%	1461	6 3479	9 24%	16190	3604	22%

Table 2

			San	npling Loca	tion	T		Ti	nes		-						MeBr	Gas Conc	(рршу) Ас	ljusted			,
Særraple No.	Interval	Dlat#	Sample Rep	Position	Depth	Treatment	Time of Collection	Elapsed Time from Application	Date-Time of Analysis	Elapsed Time from Collection to Analysis (ETA)	Recovery Correction Factor	Theoretical % Recovered	Unadjusted	Adjusted Sample Conc.	Treatment Plot Replicate Interval Average	Treatment Plot Replicate Interval Std Dev.	Treatment Piot Replicate Interval CV (%SD)	Treatment Interval Average		Treatment Interval CV (%SD)	Sampling Position Interval Average	Sampling Position Interval Std Dev.	Sampling Position Interval CV (%SD)
	3	1		Pass Center		DEEP	8/6/03 15:58	9:00	8/6/03 19:19	3:21	1.067	94%	13291	14186									
4401049		1	В	Pass Edge	0" (STI)	DEEP	8/6/03 15:59	9:01	8/7/03 4:28	12:29	1.308	76%	7677	10039									
4401050	3	,	C	Pass Center	0" (STI)	DEEP	8/6/03 16:01	9:03	8/7/03 4:31	12:30	1.308	76%	7587	9922									
4401051	3	1	D	Pass Edge	0" (STI) 0" (STI)	DEEP	8/6/03 16:02	9:04	8/7/03 4:31	12:29	1.307	76%	7587	9918	11016	2114	19%						
4401052		1 2		Page Center		DEEP	8/6/03 16:08	9:00	8/7/03 4:33	12:25	1.305	77%	6736										
4401053	3		A B	Pass Edge	0" (STI) 0" (STI)	DEEP	8/6/03 16:09	9:01	8/7/03 4:35	12:26	1.306	77%	6831	8921									
4401054	3	2	C	Pass Center	0" (STI)	DEEP	8/6/03 16:11	9:03	8/7/03 4:38	12:27	1.306	77%	7217	9428		1							}
4401055	3	2	D	Pass Edge	0" (STI)	DEEP	8/6/03 16:12	9:04	8/7/03 4:40	12:28	1.307	77%	10242	13384	10131	2186	22%						
<u> </u>	3	3	. <u></u> А	Pass Center	0" (STI)	DEEP	8/6/03 16:17	9:00	8/7/03 4:43	12:26	1.306	77%	6279	8198									
4401057	3	3	В	Pass Edge	0" (STI)	DEEP	8/6/03 16:18	9:01	8/7/03 4:45	12:27	1.306	77%	6202	8102									'
4401058	3	3	С	Pass Center	0" (STI)	DEEP	8/6/03 16:20	9:03	8/7/03 4:47	12:27	1.306	77%	7279	9509							10006	2136	21%
4401060	3	3	D	Pass Edge	0" (STI)	DEEP	8/6/03 16:21	9:04	8/7/03 4:54	12:33	1.309	76%	8526	11163	9243	1432	15%	10130	1911	19%	10254	1854	18%
	3	4	A	Pass Center	0" (STI)	SHALLOW	8/6/03 16:29	9:00	8/7/03 4:56	12:27	1.306	77%	10158	13268									
4401061 4401062	3	4	В	Pass Edge	0" (STI)	SHALLOW	8/6/03 16:30	9:01	8/7/03 4:58	12:28	1.307	77%	13230		•								
4401062	3	4	С	Pass Center	0" (STI)	SHALLOW	8/6/03 16:32	9:03	8/7/03 5:00	12:28	1.307	77%	11423										
4401064	3	4	D	Pass Edge		SHALLOW	8/6/03 16:33	9:04	8/7/03 5:21	12:48	1.317	76%	8702		14238	2479	17%						
4401065	3	5	A	Pass Center	† <i></i> -	SHALLOW	8/6/03 16:41	9:00	8/7/03 5:24	12:43	1.315	76%	8868	11659									
4401066	3	5	В	Pass Edge	0" (STI)	SHALLOW	8/6/03 16:42	9:01	8/7/03 5:38	12:56	1.322	76%	7904	10450									
4401067	3	5	c	Pass Center		SHALLOW	8/6/03 16:44	9:03	8/7/03 6:24	13:40	1.346	74%	8686	11695									
4401068	١.	5	D	Pass Edge	0" (STI)		8/6/03 16:45	9:04	8/7/03 5:44	12:59	1.324	76%	9659	12786	11648	955	8%	,					
4401069	3	6	Α	Pass Center	†	SHALLOW	8/6/03 16:47	9:00	8/7/03 6:26	13:39	1.346	74%	9199	12381									
4401070		6	В	Pass Edge		SHALLOW	8/6/03 16:48	9:01	8/7/03 5:49	13:01	1.325	75%	9118	12081									
4401071	3	6	c	Pass Center	0" (STI)		8/6/03 16:50	9:03	8/7/03 6:28	13:38	1.345	74%	9066	12197	,						12688	1244	10%
4401072	1	6	D	Pass Edge	0" (STI)	SHALLOW	8/6/03 16:51	9:04	8/7/03 6:30	13:39	1.346	74%	9294	12510	12292	191	2%	12720	1805	14%	12764	2369	19%

Table 2

		1	San	pling Loca	tion			Tip	nes								MeBr	Gas Conc	(ppmv) A	ijusted			
Sample No.	Interval	Plot#	Sample Rep	Position	Depth	Treatment	Time of Collection	Elapsed Time from Application	Date-Time of Analysis	Elapsed Time from Collection to Analysis (ETA)	Recovery Correction Factor	Theoretical % Recovered	Sample MeBr Gas Conc (ppmv) Unadjusted for Recovery	Adjusted Sample Conc.	Treatment Piot Replicate Interval Average	Treatment Plot Replicate Interval Std Dev.	Treatment Plot Replicate Interval CV (%SD)	Treatment Interval Average	Treatment Interval Std Dev.	Treatment Interval CV (%SD)	Sampling Position Interval Average	Sampling Position Interval Std Dev.	Sampling Position Interval CV (%SD)
4401073	4	1	A	Pass Center	0" (STI)	DEEP	8/6/03 23:13	16:15	8/7/03 7:04	7:51	1.071	93%	7303	7824									
4401073	4	1	В	Pass Edge	0" (STI)	DEEP	8/6/03 23:14	16:16	8/7/03 7:06	7:52	1.072	93%	8147	8730									
4401075	4	1	С	Pass Center	0" (STI)	DEEP	8/6/03 23:16	16:18	8/7/03 7:09	7:53	1.072	93%	9066	9716									
4401076	4	1	D	Pass Edge	0" (STI)	DEEP	8/6/03 23:17	16:19	8/7/03 7:12	7:55	1.072	93%	9383	10059	9083	1010	11%						
4401077	4	2	 А	Pass Center	0" (STI)	DEEP	8/6/03 23:23	16:15	8/7/03 7:15	7:52	1.072	93%	8194	8780		ļ							
4401078	4	2	В	Pass Edge	0" (STI)	DEEP	8/6/03 23:24	16:16	8/7/03 7:17	7:53	1.072	93%	6214	6659									
4401079	4	2	С	Pass Center	0" (STI)	DEEP	8/6/03 23:26	16:18	8/7/03 7:19	7:53	1.072	93%	6777	7263								,	
4401080	4	2	D	Pass Edge	0" (STI)	DEEP	8/6/03 23:27	16:19	8/7/03 7:22	7:55	1.072	93%	4560	4888	6898	1609	23%				1		
4401081	4	3	А	Pass Center	0" (STI)	DEEP	8/6/03 23:32	16:15	8/7/03 7:24	7:52	1.072	93%	2700	2894	1							į	
4401082	4	3	В	Pass Edge	0" (STI)	DEEP	8/6/03 23:33	16:16	8/7/03 7:27	7:54	1.072	93%	3871	4150									
4401083	4	3	С	Pass Center	0" (STI)	DEEP	8/6/03 23:35	16:18	8/7/03 7:27	7:52	1.072	93%	3871	4148	3						6771	2682	† <b>-</b>
4401084	4	3	D	Pass Edge	0" (STT)	DEEP	8/6/03 23:36	16:19	8/7/03 7:27	7:51	1.071	93%	3871	4148	3835	62	16%	660:	5 2479	38%	6439	2502	39%
4401085	4	4	A	Pass Center	0" (STI)	SHALLOW	8/6/03 23:44	16:15	8/7/03 7:27	7:43	1.070	93%	3871	4143	3								
4401086	4	4	В	Pass Edge	0" (STI)	SHALLOW	8/6/03 23:45	16:16	8/7/03 7:27	7:42	1.070	93%	3871	4142	2			-					
4401087	4	4	С	Pass Center	0" (STI)	SHALLOW	8/6/03 23:47	16:18	8/7/03 7:27	7:40	1.070	93%	3871	4141	L								
4401088	4	4	D	Pass Edge	0" (STI)	SHALLOW	8/6/03 23:48	16:19	8/7/03 7:27	7:39	1.070	93%	3871	4140	4141	1	1 0%	}					
4401089	4	5	A	Pass Center	0" (STI)	SHALLOW	8/6/03 23:56	16:15	8/7/03 7:27	7:31	1.068	94%	3871	4135	5								
4401090	4	5	В	Pass Edge	0" (STI)	SHALLOW	8/6/03 23:57	16:16	8/7/03 7:27	7:30	1.068	34 70	3871	413	5								
4401091	4	5	С	Pass	0" (STI)	SHALLOW	8/6/03 23:59	16:18	8/7/03 7:27	+	1.068	3470	3871		7			1					
4401092	4	5	D	Pass Edge	0° (STI)	SHALLOW	8/7/03 0:00	16:19	8/7/03 7:27		1.068		3871	413	3 413	4	1 0%						'
4401093	3 4	6	A	Pass Center	0" (STI)	SHALLOW		16:15	8/7/03 8:04		1.073	73 /6	7250	778	1								
4401094	4 4	6	В	Pass Edge	0" (STI)	SHALLOW	8/7/03 0:03	16:16	8/7/03 8:08	-	1.074	33 /6	6988	750	3						543	2012	270/
440109	5 4	6	С	Pass Center	0" (STI)	SHALLOW	1	16:18	8/7/03 8:10	+	1.074	1 75 /6	7701	1	7						5434	+	†
440109	6 4	6	D	Pass Edge	0" (STI)	SHALLOW	8/7/03 0:06	16:19	8/7/03 8:13	8:06	1.074	93%	7313	785	3 785	2 31	7 49	537	6 183	6 34%	5318	1832	2 34%

Table 2

			Sar	npling Loc	ation			Tir	nes								MeBr	Gas Conc	(ppmv) A	justed			
Sample No.	Interval	Plot#	Sample Rep	Position	Depth	Treatment	Time of Collection	Elapsed Time from Application	Date-Time of Analysis	Elapsed Time from Collection to Analysis (ETA)	Recovery Correction Factor	%	Sample MeBr Gas Conc (ppmv) Unadjusted for Recovery	Adjusted Sample Conc.	Treatment Plot Replicate Interval Average	Treatment Plot Replicate Interval Std Dev.	Treatment Piot Replicate Interval CV (%SD)	Treatment Interval Average	Treatment Interval Std Dev.	Treatment Interval CV (%SD)	Sampling Position Interval Average	Sampling Position Interval Std Dev.	Sampling Position Interval CV (%SD)
4401097	5	1	Α	Pass Center	0" (STI)	DEEP	8/7/03 6:58	24:00	8/7/03 16:08	9:10	1.341	75%	6140	8236									
4401098	5	1	В	Pass Edge	0" (STI)	DEEP	8/7/03 6:59	24:01	8/7/03 16:09	9:10	1.342	75%	7117	9550									1
4401099	5	1	С	Pass Center	0" (STI)	DEEP	8/7/03 7:00	24:02	8/7/03 16:12	9:12	1.343	74%	6219	8353									
4401100	5	1	D	Pass Edge	0" (STI)	DEEP	8/7/03 7:01	24:03	8/7/03 16:13	9:12	1.344	74%	6345	8525	8666	601	7%						[ [
4401101	5	2	A	Pass Center	0" (STI)	DEEP	8/7/03 7:08	24:00	8/7/03 16:15	9:07	1.339	75%	6695	8966		,							
4401102	5	2	В	Pass Edge	0" (STI)	DEEP	8/7/03 7:09	24:01	8/7/03 16:17	9:08	1.340	75%	4847	6493									
4401103	5	2	С	Pass Center	0° (STI)	DEEP	8/7/03 7:10	24:02	8/7/03 16:18	9:08	1.340	75%	5815	7792									] ]
4401104	5	2	D	Pass Edge	0" (STI)	DEEP	8/7/03 7:11	24:03	8/7/03 16:18	9:07	1.339	75%	5815	7787	7759	1010	13%						
4401105	5	3	Α	Pass Center	0" (STI)	DEEP	8/7/03 7:17	24:00	8/7/03 16:26	9:09	1.341	75%	2597	3482							ĺ		
4401106	5_	3	В	Pass Edge	0" (STI)	DEEP	8/7/03 7:18	24:01	8/7/03 16:28	9:10	1.341	75%	2568	3445									1 1
4401107	5	3	С	Pass Center	0" (STI)	DEEP	8/7/03 7:19	24:02	8/7/03 16:29	9:10	1.342	75%	6148	8251							7513	2010	27%
4401108	5	3	D	Pass Edge	0" (STI)	DEEP	8/7/03 7:20	24:03	8/7/03 16:31	9:11	1.343	74%	6073	8154	5833	2736	47%	7420	1985	27%	7326	2146	29%
4401109	5	4	A	Pass Center	0" (STI)	SHALLOW	8/7/03 7:29	24:00	8/7/03 16:34	9:05	1.338	75%	4453	5957									1
4401110	5	4	В	Pass Edge	0" (STI)	SHALLOW	8/7/03 7:30	24:01	8/7/03 16:37	9:07	1.339	75%	5778	7737					1				[
4401111	5	4	С	Pass Center	0" (STI)	SHALLOW	8/7/03 7:31	24:02	8/7/03 16:38	9:07	1.339	75%	3132	4195									
4401112	5_	4	D	Pass Edge	0" (STI)	SHALLOW	8/7/03 7:32	24:03	8/7/03 16:40	9:08	1.340	75%	4547	6092	5995	1447	24%						
4401113	5	5	A	Pass Center	0" (STT)	SHALLOW	8/7/03 7:41	24:00	8/7/03 16:52	9:11	1.343	74%	4786	6427									
4401114	5	5	В	Pass Edge	0" (STI)	SHALLOW	8/7/03 7:42	24:01	8/7/03 16:54	9:12	1.343	74%	2797	3758									
4401115	5	5	С	Pass Center	0" (STI)	SHALLOW	8/7/03 7:43	24:02	8/7/03 16:55	9:12	1.343	74%	5394	7246									
4401116	5_	5	D	Pass Edge	0" (STI)	SHALLOW	8/7/03 7:44	24:03	8/7/03 16:57	9:13	1.344	74%	5979	8035	6366	1859	29%						
4401117	5	6	A	Pass Center	0" (STI)	SHALLOW	8/7/03 7:47	24:00	8/7/03 16:59	9:12	1.343	74%	6235	8375				}					
4401118	5	6	В	Pass Edge	0" (STI)	SHALLOW	8/7/03 7:48	24:01	8/7/03 17:01	9:13	1.344	74%	5911	7942				ł					
4401119	5	6	С	Pass Center	0" (STI)	SHALLOW	8/7/03 7:49	24:02	8/7/03 17:03	9:14	1.345	74%	4294	5773	ļ	}					6329	1417	22%
4401120	5	6	D	Pass Edge	0" (STI)	SHALLOW	8/7/03 7:50	24:03	8/7/03 17:04	9:14	1.345	74%	4085	5494	6896	1473	21%	6419	1502	23%	6510	1713	26%

Table 2

	7		San	npling Local	tion	1		Tir	nes								MeBr	Gas Conc	(ppmv) Aa	ijusted			
Sample No.	Interval	Plot#	Sæmple Rep	Position	Depth	Trestment	Time of Collection	Elapsed Time from Application	Date-Time of Analysis	Elapsed Time from Collection to Analysis (ETA)	Recovery Correction Factor	Theoretical % Recovered	Sample MeBr Gas Conc (ppmv) Unadjusted for Recovery	Adjusted Sample Conc.	Treatment Plot Replicate Interval Average	Treatment Plot Replicate Interval Std Dev.	Treatment Piot Replicate Interval CV (%SD)	Treatment Interval Average	Treatment Interval Std Dev.	Trestment Interval CV (%SD)	Sampling Position Interval Average	Sampling Position Interval Std Dev.	Sampling Position Interval CV (%SD)
4401121	6	1	Α	Pass Center	0" (STI)	DEEP	8/7/03 15:58	33:00	8/7/03 22:15	6:17	1.106	90%	4598	5085					ļ			Ì	l
4401122	6	1	В	Pass Edge	0" (STT)	DEEP	8/7/03 15:59	33:01	8/7/03 22:16	6:17	1.106	90%	5195	5746			ļ					İ	
4401123	6	1	С	Pass Center	0" (STI)	DEEP	8/7/03 16:00	33:02	8/7/03 22:18	6:18	1.106	90%	5018	5552									
4401124	6	1	D	Pass Edge	0" (STI)	DEEP	8/7/03 16:01	33:03	8/7/03 22:20	6:19	1.106	90%	5256	5816	5549	329	6%						
4401125	6	2	Α	Pass Center	0" (STT)	DEEP	8/7/03 16:08	33:00	8/7/03 22:23	6:15	1.105	90%	4391	4854	1								
4401126	6	2	В	Pass Edge	0" (STI)	DEEP	8/7/03 16:09	33:01	8/7/03 22:25	6:16	1.106	90%	4544	5024									
4401127	6	2	С	Pass Center Pass	0" (STT)	DEEP	8/7/03 16:10	33:02	8/7/03 22:26	6:16	1.106	90%	5394	5964	<u> </u>		}						
4401128	6	2	D	Edge	0" (STI)	DEEP	8/7/03 16:11	33:03	8/7/03 22:28	6:17	1.106	90%	5101	5642	5371	521	10%	}					
4401129	6	3	A	Pass Center Pass	0" (STI)	DEEP	8/7/03 16:17	33:00	8/7/03 22:30	6:13	1.105	91%	2127	2350	1								
4401130	6	3	В	Edge Pass	0" (STI)	DEEP	8/7/03 16:18	33:01	8/7/03 22:33	6:15	1.105	90%	2368		1						4700	1007	2604
4401131	6	3	С	Center	0" (STI)	DEEP	8/7/03 16:19	33:02	8/7/03 22:40	6:21	1.107	90%	4455		1					2.00	4790		26%
4401132	6	3	D	Edge Pass	0" (STI)	DEEP	8/7/03 16:20	33:03	8/7/03 22:43	6:23	1.108	90%	4778			1529	40%	4900	1190	24%	5023	1216	24%
4401133	6	4	A	Center	0" (STI)	SHALLOW	8/7/03 16:29	33:00	8/7/03 22:45	6:16	1.106	90%	3298	1	7			İ				ļ	
4401134	6	4	В	Edge Pass	0" (STT)	SHALLOW	8/7/03 16:30	33:01	8/7/03 22:48 8/7/03 22:49	6:18	1.106	90%	3437	<del> </del>	1								
4401135	6	4	С	Center Pass	0" (STI)	SHALLOW	8/7/03 16:31 8/7/03 16:32	33:02	8/7/03 22:51	6:19	1.106	90%	3199	1	1	176	5%						
4401136	6_	4	<u>D</u>	Edge Pass		SHALLOW	8/7/03 16:41	33:00	8/7/03 23:00	<del></del>	1.106	90%	3057			1		1					
4401137	6	5	A	Center Pass		SHALLOW	8/7/03 16:42	33:01	8/7/03 23:02		1.107	90%	2332	1					ļ				
4401138		5	B	Edge Pass		SHALLOW	8/7/03 16:43	33:02	8/7/03 23:04	6:21	1.107	90%	2877		7				1		ļ		
4401139	T .	5	C	Pass	0" (STI)	SHALLOW	8/7/03 16:44	33:03	8/7/03 23:07	6:23	1.108	90%	3297			8 453	14%						
4401140	<u> </u>	5	D .	Pass	†·	SHALLOW	8/7/03 16:47	33:00	8/7/03 23:10	- <del> </del>	1.108		3579	-	† <u>-</u>	<u>-</u>		1	1				
4401141		6	A	Pass	0" (STI)	<u> </u>	8/7/03 16:48	<del> </del>	8/7/03 23:12	6:24	1.108	<b>-</b>	3157		7								
4401142		6	В	Pass Center	0" (STI)	SHALLOW	8/7/03 16:49	33:02	8/7/03 23:14	6:25	1.108		2884	1	-						3484	298	9%
4401143		6	D	Pass Edge	0" (STI)		8/7/03 16:50	33:03	8/7/03 23:22	6:32	1.111		2968		7 3489	9 34	1 10%	342	6 350	5 10%	3369	427	13%

Table 2

			San	npling Loca	tion			Tir	nes					,			MeBr	Gas Conc	(ppmv) Ad	ljusted		· · · · · ·	
Sample No.	Interval	Diet#	Sample Rep	Position	Depth	Treatment	Time of Collection	Elapsed Time from Application	Date-Time of Analysis	Elapsed Time from Collection to Analysis (ETA)	Recovery Correction Factor	Theoretical % Recovered	Sample MeBr Gas Conc (ppmv) Unadjusted for Recovery	Adjusted Sample Conc.	Treatment Plot Replicate Interval Average	Treatment Plot Replicate Interval Std Dev.	Treatment Plot Replicate Interval CV (%SD)	Trestment Interval Average	Treatment Interval Std Dev.	Treatment Interval CV (%SD)	Sampling Position Interval Average	Sampling Position Interval Std Dev.	Sampling Position Interval CV (%SD)
4401145	7	1	A	Pass Center	0° (STI)	DEEP	8/8/03 11:25	52:27	8/8/03 16:26	5:01	1.125	89%	3156	3549									
4401146	7	1	В	Pass Edge	0" (STI)	DEEP	8/8/03 11:26	52:28	8/8/03 16:28	5:02	1.125	89%	3255	3663									
4401146	7	1	С	Pass Center	or (STI)	DEEP	8/8/03 11:27	52:29	8/8/03 16:31	5:04	1.126	89%	3586	4039									
4401148	7	1	D	Pass Edge	0" (STD)	DEEP	8/8/03 11:28	52:30	8/8/03 16:33	5:05	1.126	89%	3706	4174	3856	298	8%						
4401149	<del>-</del>	2	 A	Pass Center	0" (STT)	DEEP	8/8/03 11:35	52:27	8/8/03 16:35	5:00	1.124	89%	3258	3661								į	
4401150	7	2	В	Pass Edge	0" (STI)	DEEP	8/8/03 11:36	52:28	8/8/03 16:37	5:01	1.125	89%	2670	3002									
4401151	7	2	C	Pass Center	0" (STI)	DEEP	8/8/03 11:37	52:29	8/8/03 16:39	5:02	1.125	89%	3099	3487					İ				
4401152	7	2	D	Pass Edge	0" (STI)	DEEP	8/8/03 11:38	52:30	8/8/03 16:41	5:03	1.125	89%	3444	3876	3507	372	11%						
4401153	7	3	Α	Pass Center	0" (STI)	DEEP	8/8/03 11:44	52:27	8/8/03 16:42	4:58	1.123	89%	1303	1463					1				
4401154	7	3	В	Pass Edge	0" (STI)	DEEP	8/8/03 11:45	52:28	8/8/03 16:44	4:59	1.124	89%	1353	1520									
4401155	7	3	С	Pass Center	0" (STI)	DEEP	8/8/03 11:46	52:29	8/8/03 16:51	5:05	1.126	89%	3076	3465							3277	913	28%
4401156	7	3	D	Pass Edge	0" (STI)	DEEP	8/8/03 11:47	52:30	8/8/03 16:53	5:06	1.127	89%	3084	3474	2481	1142	46%	3281	888	27%	3285	950	29%
4401157	7	4	Α	Pass Center	0" (STT)	SHALLOW	8/8/03 11:56	52:27	8/8/03 16:55	4:59	1.123	89%	1564	1757									
4401158	7	4	В	Pass Edge	0" (STI)	SHALLOW	8/8/03 11:57	52:28	8/8/03 16:57	5:00	1.124	89%	1987	2234									
4401159	7	4	С	Pass Center	0" (STI)	SHALLOW	8/8/03 11:58	52:29	8/8/03 16:59	5:01	1.124	89%	1434	1612									
4401160	7	4	D	Pass Edge	0" (STI)	SHALLOW	8/8/03 11:59	52:30	8/8/03 17:02	5:03	1.125	89%	1670	1879	1871	266	14%						
4401161	7	5	Α	Pass Center	0" (STI)	SHALLOW	8/8/03 12:08	52:27	8/8/03 17:03	4:55	1.122	89%	1750	1963	4								
4401162	7	5	В	Pass Edge	0" (STI)	SHALLOW	8/8/03 12:09	52:28	8/8/03 17:05	4:56	1.122	89%	1188	1333									
4401163	7	5	С	Pass Center	0" (STI)	SHALLOW	8/8/03 12:10	52:29	8/8/03 17:07	4:57	1.123	89%	1934	2171	_								
4401164	7	5	D	Pass Edge	0" (STI)	SHALLOW	8/8/03 12:11	52:30	8/8/03 17:08	4:57	1.123	89%	2261	2539	2002	505	25%				i		
4401165	7	6	A	Pass Center	0" (STI)	SHALLOW	8/8/03 12:14	52:27	8/8/03 17:13	4:59	1.124	89%	2262	2542	4			}					
4401166	7	6_	В	Pass Edge	0" (STI)	SHALLOW	8/8/03 12:15	52:28	8/8/03 17:15	5:00	1.124	89%	2068	2325									
4401167	7	6	С	Pass Center	0" (STI)	SHALLOW	8/8/03 12:16	52:29	8/8/03 17:16	5:00	1.124	89%	1563	1757	4				1		1967	342	1
4401168	7	6	D	Pass Edge	0" (STI)	SHALLOW	8/8/03 12:17	52:30	8/8/03 17:18	5:01	1.124	89%	1496	1682	2076	423	20%	198	3 381	19%	1999	450	22%

Table 2

-			San	npling Loca	tion			Tir	nes					,		,	MeBr	Gas Conc	(ppmv) A	ljusted			
Sample No.	Interval	Plot#	Sample Rep	Position	Depth	Treatment	Time of Collection	Elapsed Time from Application	Date-Time of Analysis	Elapsed Time from Collection to Analysis (ETA)	Recovery Correction Factor	Theoretical %	Sample MeBr Gas Conc (ppmv) Unadjusted for Recovery	Adjusted Sample Conc.	Treatment Plot Replicate Interval Average	Treatment Plot Replicate Interval Std Dev.	Treatment Plot Replicate Interval CV (%SD)	Treatment Interval Average	Treatment Interval Std Dev.	Treatment Interval CV (%SD)	Sampling Position Interval Average	Sampling Position Interval Std Dev.	Sampling Position Interval CV (%SD)
4401169	8	1	A	Pass Center	0" (STT)	DEEP	8/9/03 11:25	76:27	8/9/03 14:40	3:15	1.072	93%	1947	2086									
4401170	8	1	В	Pass Edge	0" (STI)	DEEP	8/9/03 11:26	76:28	8/9/03 14:43	3:17	1.072	93%	2088	2239									1
4401171	8	1	C	Pass Center	0" (STI)	DEEP	8/9/03 11:27	76:29	8/9/03 14:45	3:18	1.073	93%	2235	2397									1
4401172	8	1	D	Pass Edge	0" (\$TT)	DEEP	8/9/03 11:28	76:30	8/9/03 14:47	3:19	1.073	93%	2348	2520	2311	189	8%						1
4401173	8	2	. <b>— . —</b> .	Pass Center	0" (STI)	DEEP	8/9/03 11:35	76:27	8/9/03 14:48	3:13	1.071	93%	1874	2007		}				,			l
4401174	8	2	В	Pass Edge	0" (STI)	DEEP	8/9/03 11:36	76:28	8/9/03 14:50	3:14	1.071	93%	1923	2060							'		i
4401175	8	2	С	Pass Center	0" (STT)	DEEP	8/9/03 11:37	76:29	8/9/03 14:51	3:14	1.071	93%	1398	1498									
4401176	8	2	D	Pass Edge	0" (STI)	DEEP	8/9/03 11:38	76:30	8/9/03 14:53	3:15	1.072	93%	1416	1518	1771	304	17%				ļ		
4401177	8	3	A	Pass Center	0" (STI)	DEEP	8/9/03 11:44	76:27	8/9/03 14:55	3:11	1.070	93%	793	849									<b> </b>
4401178	8	3	В	Pass Edge	0" (STI)	DEEP	8/9/03 11:45	76:28	8/9/03 14:56	3:11	1.070	93%	827	885									
4401179	8	3	С	Pass Center	0" (STT)	DEEP	8/9/03 11:46	76:29	8/9/03 15:20	3:34	1.079	93%	1940	2093							1822	559	31%
4401180	8	3	D	Pass Edge	0" (STI)	DEEP	8/9/03 11:47	76:30	8/9/03 15:23	3:36	1.080	93%	1798	1941	1442	667	46%	1841	544	30%	1861	582	31%
4401181	8	4	А	Pass Center	0" (STI)	SHALLOW	8/9/03 11:56	76:27	8/9/03 15:28	3:32	1.078	93%	814	878			ļ						
4401182	8	4	В	Pass Edge	0" (STI)	SHALLOW	8/9/03 11:57	76:28	8/9/03 15:31	3:34	1.079	93%	1060	1144	4								
4401183	8	4	С	Pass Center	0" (STI)	SHALLOW	8/9/03 11:58	76:29	8/9/03 15:34	3:36	1.080	93%_	849	916									
4401184	8_	4	D	Pass Edge	0" (STI)	SHALLOW	8/9/03 11:59	76:30	8/9/03 15:36	3:37	1.080	93%	924	998	984	118	12%	1					
4401185	8	5	A	Pass Center	0" (STI)	SHALLOW	8/9/03 12:08	76:27	8/9/03 15:39	3:31	1.078	93%	945	1019	4								
4401186	8	5	В	Pass Edge	0" (STI)	SHALLOW	8/9/03 12:09	76:28	8/9/03 15:40		1.078	93%	633	682	4								
4401187	8	5	С	Pass Center Pass	0" (STT)	SHALLOW	8/9/03 12:10		8/9/03 15:42	<del> </del>	1.078	93%	1097	1183	1								
4401188	8	5	D	Edge	0" (STI)	SHALLOW	8/9/03 12:11	76:30	8/9/03 15:43		1.078	93%	1176	1269	1038	259	25%	2					
4401189	8	6	A	Pass Center Pass	0" (STI)	SHALLOW		<del></del>	8/9/03 15:45		1.078	93%	1259	1	1								
4401190	8	6	В	Edge Pass	0" (STT)	SHALLOW			8/9/03 15:49		1.079	1 33 70	1053	T	1			1			104	, ,,,	190/
4401191	8	6	C	Center	0" (STI)	SHALLOW			8/9/03 15:50	+	1.079	1 20 70	844	1	1	1			_	100	1044	†	<del> </del>
4401193	2 8	6	D	Edge	0" (STI)	SHALLOW	8/9/03 12:17	76:30	8/9/03 15:52	3:35	1.079	93%	858	920	108	3 21	0 19%	103	5 18	18%	1026	5 207	7 20%

Table 2

								Tin									MeBr	Gas Conc	(ppmv) Aa	ljusted			
			Sam	pling Locat	ion		1	110	ies												ŧ	-	1
			Sample			7	Time of	Elapsed Time from	Date-Time of Analysis	Elspsed Time from Collection to Analysis (ETA)	Recovery Correction Factor	Theoretical % Recovered	Sample MeBr Gas Conc (ppmv) Unadjusted for Recovery	Adjusted Sample Conc.	Treatment Plot Replicate Interval Average	Treatment Plot Replicate Interval Std Dev.	Treatment Plot Replicate Interval CV (%SD)	Treatment Interval Average	Treatment Interval Std Dev.		Sampling Position Interval Average	Sampling Position Interval Std Dev.	Sampling Position Interval CV (%SD)
Sample No.	Interval	Plot#	Rep	Position Pass	Depth	Treatment	8/10/03 11:25	100:27	8/10/03 14:40	3:15	1.059		1510	1599									
4401193	9	1	A	Center Pass	0" (STI)	DEEP				3:15	1.059	94%											
4401194	9	1	В	Edge	0" (STI)	DEEP	8/10/03 11:26	100:28	8/10/03 14:41			94%	1238	1311					ļ				
4401195	9	1	С	Pass Center	0" (STI)	DEEP	8/10/03 11:27	100:29	8/10/03 14:44	3:17	1.060	94%	1248	1322	ŀ				1				1
4401196	9	1	D	Pass Edge	0° (STT)	DEEP	8/10/03 11:28	100:30	8/10/03 14:45	3:17	1.060	94%	1461	1548	1445	150	10%		1	i i			
4401197	9	2	А	Pass Center	0" (STT)	DEEP	8/10/03 11:35	100:27	8/10/03 14:51	3:16	1.059	94%	1106	1172			ļ						
4401198	9	2	В	Pass Edge	0" (STI)	DEEP	8/10/03 11:36	100:28	8/10/03 14:53	3:17	1.060	94%	1036	1098			1						1
	,	2	C	Pass Center	0" (STI)	DEEP	8/10/03 11:37	100:29	8/10/03 14:55	3:18	1.060	94%	770	816				ļ					
4401199	<del> </del>		D	Pass Edge		DEEP	8/10/03 11:38	100:30	8/10/03 14:57	3:19	1.060	94%	779	826	978	184	19%						
4401200	9_	2	<del>ا _ ا</del>	Pass	0" (STI)		8/10/03 11:44	100:27	8/10/03 14:59	3:15	1.059	94%	402	426									
4401201	9	3	A	Pass	0" (STI)	DEEP	8/10/03 11:45	100:28	8/10/03 15:03	3:16	1.059	94%	472		1					1			
4401202	9	3	В	Edge	0™ (STT)	DEEP	8/10/03 11:46	100:29	8/10/03 15:03	3:16	1.060	1			1	1		1		[	1094	414	38%
4401203	9	3	С	Center Pass	0" (STI)	DEEP			ļ		<del> </del>	94%	1160		1	4 430	52%	108	6 374	4 34%	1078	370	34%
4401204	9	3	D	Edge	0" (STI)	DEEP	8/10/03 11:47	100:30	8/10/03 15:04		1.060	74.70	1114			430	327	100	3,	3470	10.0		
4401205	9_	4	A	Pass Center	0" (STT)	SHALLOW	8/10/03 11:56	100:27	8/10/03 15:0	3:13	1.058	94%	534	565	4	1		1		1	1		1
4401206	9	4	В	Pass Edge	0" (STI)	SHALLOW	8/10/03 11:57	100:28	8/10/03 15:1	3:14	1.059	94%	529	560	<u> </u>								1
4401207	, 9	4	Tc	Pass Center	0" (STI)	SHALLOW	8/10/03 11:58	100:29	8/10/03 15:1	3:15	1.059	94%	398	42	2			1					
4401208	1	4	D	Pass Edge	0" (STD)	SHALLOW	8/10/03 11:59	100:30	8/10/03 15:1	4 3:15	1.059	94%	518	549	52	4 6	13%			1			
1	+		A	Pass Center	†·	SHALLOW	8/10/03 12:08	100:27	8/10/03 15:1	3:10	1.058	95%	170	180	<u>o</u>	1						1	
4401209		+-	1	Pass			8/10/03 12:09	100:28	8/10/03 15:2	0 3:11	1.058	95%	70	7	4			1			ļ		
4401210	1	5	B	Edge		SHALLOW	9/10/03 12:1/	100:29	8/10/03 15:2	3:11	1.058	95%	65	8 69	6								
440121	1 9	5	C	Pass		SHALLOW	9/10/03 12:11		+	3 3:12	1.058		78		7	6 37	5 849	6					
440121	2 9	5	<u>D</u>	Edge	†· <b>-</b> ·-	SHALLOW					1.058	1-25/4		-		1		1					
440121	3 9	6	A	Center Pass	0" (STI)	SHALLOW		+			1.059	3470			7								
440121	4 9	6	В	Edge	0" (STI)	SHALLOW	1	+	+		+	34 70			7						525	40	1 76%
440121	5 9	6	С	Center	0" (STI)	SHALLOW	8/10/03 12:1	6 100:29	-		1.059	7770	1		┪						ļ	†	
440121	16 9	6	D	Pass Edge	0" (STI)	SHALLOW	8/10/03 12:1	7 100:30	8/10/03 15:	3:14	1.05	94%	3	7 3	9 43	53	5 1249	6 40	57 34	16 749	6 408	30	// /3%

Table 2

		1	San	npling Loca	ation			Tir	nes							t	MeBr	Gas Conc	(ppmv) Aa	ljusted	1		
Sæmple No.	Interval	Plot #	Sample Rep	Position	Depth	Treatment	Time of Collection	Elapsed Time from Application	Date-Time of Analysis	Elapsed Time from Collection to Analysis (ETA)	Recovery Correction Factor		Sample MeBr Gas Conc (pptrv) Unadjusted for Recovery	Adjusted Sample Conc.	Treatment Plot Replicate Interval Average	Treatment Plot Replicate Interval Std Dev.	Treatment Plot Replicate Interval CV (%SD)	Treatment Interval Average		Treatment Interval CV (%SD)	Sampling Position Interval Average	Sampling Position Interval Std Dev.	Sampling Position Interval CV (%SD)
	10	1	A	Pass Center	0" (STI)	DEEP	8/11/03 6:58	120:00	8/11/03 11:14	4:16	1.106	90%	1284	1420									
4401217	10	1	В	Pass Edge	0" (STI)	DEEP	8/11/03 6:59	120:01	8/11/03 11:15	4:16	1.107	90%	772	855									
4401218	10	1	С	Pass Center	0" (STI)	DEEP	8/11/03 7:00	120:02	8/11/03 11:17	4:17	1.107	90%	1007	1115									İ
4401219	10	1	D	Pass Edge	0" (STI)	DEEP	8/11/03 7:01	120:03	8/11/03 11:19	4:18	1.107	90%	999	1106	1124	231	21%						
4401221	10	2	<u>-</u>	Pass Center	0" (STI)	DEEP	8/11/03 7:08	120:00	8/11/03 11:20	4:12	1.105	91%	852	942						<u> </u>			
4401221	10	2	В	Pass Edge	0" (STI)	DEEP	8/11/03 7:09	120:01	8/11/03 11:23	4:14	1.106	90%	770	851									
4401223	10	2	C	Pass Center	0" (STI)	DEEP	8/11/03 7:10	120:02	8/11/03 11:25	4:15	1.106	90%	480	531									
4401224	10	2	D	Pass Edge	0" (STI)	DEEP	8/11/03 7:11	120:03	8/11/03 11:26	4:15	1.106	90%	232	256	645	313	49%						
4401225	10	3	Α	Pass Center	0" (STI)	DEEP	8/11/03 7:17	120:00	8/11/03 11:28	4:11	1.104	91%	247	273	]				Ì				
4401226	10	3	В	Pass Edge	0" (STI)	DEEP	8/11/03 7:18	120:01	8/11/03 11:29	4:11	1.104	91%	246	271									
4401227	10	3	С	Pass Center	0" (STI)	DEEP	8/11/03 7:19	120:02	8/11/03 11:35	4:16	1.106	90%	854	945							871	411	47%
4401228	10	3	D	Pass Edge	0" (STI)	DEEP	8/11/03 7:20	120:03	8/11/03 11:36	4:16	1.107	90%	796	880	592	371	63%	787	376	48%	703	354	50%
4401229	10	4	А	Pass Center	0" (STI)	SHALLOW	8/11/03 7:29	120:00	8/11/03 11:38	4:09	1.103	91%	348	384	,					1			
4401230	T.,	4	В	Pass Edge	0" (STI)	SHALLOW	8/11/03 7:30	120:01	8/11/03 11:39	4:09	1.103	91%	343	379									
4401231	10	4	С	Pass Center	0" (STI)	SHALLOW	8/11/03 7:31	120:02	8/11/03 11:41	4:10	1.104	91%	347	383	3		}						
4401232		4	D	Pass Edge		SHALLOW	8/11/03 7:32	120:03	8/11/03 11:42	4:10	1.104	91%	365	403	387	7 11	3%						
4401233	10	5	A	Pass Center	0" (STI)		8/11/03 7:41	120:00	8/11/03 11:44	4:03	1.100	91%	382	420									
4401234		5	В	Pass Edge	0" (STI)	SHALLOW	8/11/03 7:42	120:01	8/11/03 11:45	4:03	1.101	91%	192	212	<u>.</u>				ļ	Ì			
4401235	1	5	С	Pass Center	0" (STI)	SHALLOW	8/11/03 7:43	120:02	8/11/03 11:40	4:03	1.101	91%	505	556	<u>s</u>								
4401236		5	D	Pass Edge	1	SHALLOW	8/11/03 7:44	120:03	8/11/03 11:48	4:04	1.101	91%	283	312	375	5 14	39%						
4401237	†	6	A	Pass Center	0" (STI)	SHALLOW	8/11/03 7:47	120:00	8/11/03 11:51	4:04	1.101	91%	618	680	<u> </u>			1					,
4401238		6	В	Pass Edge	0" (STI)		8/11/03 7:48	120:01	8/11/03 11:5	4:04	1.101	91%	441	486	5								
4401239		6	С	Pass Center	0" (STI)	SHALLOW	8/11/03 7:49	120:02	8/11/03 11:5	4 4:05	1.101	91%	252	278	3						450	144	32%
4401240	1	6	D	Pass Edge	0" (STI)	SHALLOW	8/11/03 7:50	120:03	8/11/03 11:5	4:05	1.102	91%	265	293	2 434	4 19	3 44%	39	9 12	32%	347	96	28%

Table 3 - SOIL GAS DATA ANALYSIS TABLE

Project #: TC440.2

Comparison of Methyl Bromide Gas Concentrations in the Tarp Soil Inter-space: Deep Broadcast Tarped vs. Shallow

**Broadcast Tarped Fumigation** 

Plot #	Application Date/Times:	
Plot 1	8/6/03 8:19	
Plot 2	8/6/03 8:32	
Plot 3	8/6/03 8:37	
Plot 4	8/6/03 8:49	Mini
Plot 5	8/6/03 8:58	Av
	0/6/07 0:06	1

lmum ETA for Treatment Samples: erage ETA for Treatment Samples: Plot 6 8/6/03 9:05 Maximum ETA for Treatment Samples: Syringe Sample Volume (ml): 15 mL MeBr Gas Conc (ppmv) Adjusted Times Sampling Location Sample MeBr Treatment Treatment Elapsed Gas Conc Plot Replicate Plot Replicate Recovery Theoretical Time from Interval Interval Std % Unadjusted Adjusted Date-Time of Collection to Correction Time from (%SD) Sample Sample Sample Conc Average Analysis Factor for Recevery Analysis Position Depth 1.165 8/6/03 21:12 11:07 8/6/03 10:05 13793 1184 SHALLOW Center 4402001 1.167 8/6/03 21:20 11:14 8/6/03 10:06 14233 12201 86% Pass Ede 0" (STI) 4402002 1.167 Pass 11:14 8/6/03 21:22 8/6/03 10:08 1:49 86% 11023 12861 Center 0" (STI) SHALLOW

Sampling

Table 3

r			San	npling Loca	ation					Times							MeBr C	Gas Conc (p	pmv) Adjus	ted			
Sæmple No.	Interval	Plot#	Sample Rep	Position		Treatment	Time of	Elapsed Time from Application	Date-Time of Analysis	Elapsed Time from Collection to Analysis	Recovery Correction Factor	Theoretical % Recovered	Sample MeBr Gas Conc (ppmv) Unadjusted for Recovery	Adjusted Sample Conc.	Treatment Plot Replicate Interval Average	Treatment Plot Replicate Interval Std Dev.	Treatment Plot Replicate Interval CV (%SD)	Treatment Interval Average	Treatment Interval Std Dev.	Treatment Interval CV (%SD)	Sampling Position Interval Average	Sampling Position Interval Std Dev.	Sampling Position Interval CV (%SD)
4402021	1	6	А	Pass Center	0" (STI)	DEEP	8/6/03 11:11	2:06	8/6/03 23:02	11:51	1.178	85%	5493	6469									
4402022	1	6	В	Pass Edge	0" (STI)	DEEP	8/6/03 11:12	2:07	8/6/03 23:04	11:52	1.178	85%	3538	4167			1						
4402023	1	6	C	Pass Center	0" (STI)	DEEP	8/6/03 11:14	2:09	8/6/03 23:07	11:53	1.178	85%	3920	4618		-					3981	2292	58%
4402024	1	6	D	Pass Edge	0" (STI)	DEEP	8/6/03 11:15	2:10	8/6/03 23:09	11:54	1.178	85%	3924	4624	4969	1022	21%	3725	1719	46%	3468	1043	30%
4402025	2	1	A	Pass Center	0" (STI)	SHALLOW	8/6/03 11:49	3:30	8/7/03 2:57	15:08	1.375	73%	1764	2424		Ī							
4402026	2	1	В	Pass Edge	0" (STI)	SHALLOW	8/6/03 11:50	3:31	8/7/03 0:45	12:55	1.303	77%	10100	13165		ļ							
4402027	2	1	С	Pass Center	0" (STI)	SHALLOW	8/6/03 11:52	3:33	8/7/03 0:48	12:56	1.304	77%	8940	11656		İ							
4402028	2	11	D	Pass Edge	0" (STI)	SHALLOW	8/6/03 11:53	3:34	8/7/03 0:50	12:57	1.304	77%	8620	11243	9622	4869	51%						
4402029	2	2	A	Pass Center	0" (STI)	SHALLOW	8/6/03 12:02	3:30	8/7/03 0:54	12:52	1.302	77%	17198	22389	4						}		
4402030	2	2	В	Pass Edge	0" (STI)	SHALLOW	8/6/03 12:03	3:31	8/7/03 0:58	12:55	1.303	77%	22636	29500	4		ļ				1		
4402031	2	2	С	Pass Center	0" (STI)	SHALLOW	8/6/03 12:05	3:33	8/7/03 1:00	12:55	1.303	77%	17457	22755	5								
4402032	2	2	D	Pass Edge	0" (STI)	SHALLOW	8/6/03 12:06	3:34	8/7/03 1:02	12:56	1.304	77%	9340	12179	21706	7145	33%				-		
4402033	2	3	Α_	Pass Center	0" (STI)	SHALLOW	8/6/03 12:07	3:30	8/7/03 1:05	12:58	1.305	77%	17955	23430	2	Ì		į					
4402034	2	3	В	Pass Edg Pass	e 0" (STI)	SHALLOW	8/6/03 12:08	3:31	8/7/03 1:07	12:59	1.305	77%	17753	23176	4	ļ					1		
4402035	2	3	C	Center	0" (STT)	SHALLOW	8/6/03 12:10	3:33	8/7/03 1:15	13:05	1.308	76%	18214	2382	3						17747	T	† <del></del>
4402036	2	3	D	Pass Edg	0" (STI)	SHALLOW	8/6/03 12:11	3:34	8/7/03 1:17	13:06	1.309	76%	16184	2118	22905	117	7 59	1807	7 7747	43%	18408	7363	40%
4402037	2	4	Α_	Pass Center	0" (STI)	DEEP	8/6/03 12:19	3:30	8/7/03 2:59	14:40	1.359	74%	476	647	7	<u> </u>							
4402038	2	4	В	Pass Edg Pass	0" (STI)	DEEP	8/6/03 12:20	3:31	8/7/03 3:01	14:41	1.360	74%	399	542	<u>s</u>								
4402039	2	4	c_	Center	0" (STI)	DEEP	8/6/03 12:22	<del> </del>	8/7/03 3:03	14:41	1.360	74%	939	127	1		ļ						
4402040	2	4	D	Pass Edg	0" (STI)	DEEP	8/6/03 12:23		8/7/03 3:05	14:42	1.360	74%	614	835	538	299	4 569	6					
440204	1 2	5_	A	Center	0" (STI)	DEEP	8/6/03 12:27	3:29	8/7/03 3:06 8/7/03 3:09	14:39	1.359	74%	506	688	9								
440204	2 2	5	В	Pass Edg Pass	0" (STI)	DEEP	8/6/03 12:28		8/7/03 3:11	14:41	1.359	74%	479	651	2		ļ						
440204	3 2	5		Center	0" (STI)	DEEP	8/6/03 12:30	<del> </del>	8/7/03 3:13	14:42	1.360	74%	434		7			]		ŀ	1		
440204	4 2	5	D	Pass Edg Pass	ge 0" (STI)	DEEP	8/6/03 12:31 8/6/03 12:34	<del> </del>	8/7/03 3:18	14:44	1.362	74%	635	†	T	6 117	179	~					
440204	5 2	6	A	Center	0" (STI)	DEEP	8/6/03 12:34		8/7/03 3:21	14:46	1.362	73%	967					1					
440204	6 2	6	В	Pass Ed Pass	ge 0" (STI	DEEP	8/6/03 12:33	-	8/7/03 3:23	<del></del>	1.362	73%	456		7						699	7 384	6 55%
440204	7 2	- 6	С	Center	0" (STI		8/6/03 12:38		8/7/03 3:25		1.363	73%	606		7			% 710	8 274	8 39			1
440204	8 2	6	D	Pass Ed	ge 0" (STI	DEEP	8/6/05 12:38	3.33	Gr.//03 3.25	1	1.505	73%	599	2 816	5 895	6 296	57 339	/10	0 2/4	39	722	133	- 17/

Table 3

			San	npling Loca	tion					Times							MeBr (	Gas Cone (p	pmv) Adjus	led			
Sample			Sample				Time of	Elapsed Time from	Date-Time of	Elapsed Time from Collection to	Recovery Correction	Theoretical	Sample MeBr Gas Conc (ppmv) Unadjusted	Adjusted	Treatment Plot Replicate Interval	Treatment Plot Replicate Interval Std	Treatment Plot Replicate Interval CV	Treatment Interval	Treatment Interval Std	Treatment Interval CV	Sampling Position Interval	Sampling Position Interval Std	Sampling Position Interval CV
	Interval	Plot#		Position	Depth	Treatment	Collection	Application	Analysis	Analysis	Factor	Recovered	for Recevery			Dev.	(%SD)	Average	Dev.	(%SD)	Average	Dev.	(%SD)
4402049	3_	1	A	Pass Center	0" (STI)	SHALLOW	8/6/03 18:26	10:07	8/7/03 13:13	18:47	1.225	82%	3814	4671		 	Ì						
4402050	3	1	В	Pass Edge	0" (STI)	SHALLOW	8/6/03 18:27	10:08	8/7/03 13:15	18:48	1.225	82%	4852	5944		{	-						
4402051	3	1	С	Pass Center	0" (STI)	SHALLOW	8/6/03 18:28	10:09	8/7/03 13:19	18:51	1.226	82%	5105	6256			ł						
4402052	3	1	D	Pass Edge	0" (STI)	SHALLOW	8/6/03 18:29	10:10	8/7/03 13:22	18:53	1.226	82%	4830	5922	5698	702	1296						
4402053	3	2	_A	Pass Center	0" (STI)	SHALLOW	8/6/03 18:39	10:07	8/7/03 13:23	18:44	1.224	82%	12012	14702									
4402054	3	2	В	Pass Edge	0" (STI)	SHALLOW	8/6/03 18:40	10:08	8/7/03 13:25	18:45	1.224	82%	13506	16533							:		
4402055	3_	_2	с	Pass Center	0" (STI)	SHALLOW	8/6/03 18:41	10:09	8/7/03 13:26	18:45	1.224	82%	7165	8772									
4402056	3	2	D	Pass Edge	0" (STI)	SHALLOW	8/6/03 18:42	10:10	8/7/03 13:28	18:46	1.225	82%	6521	7985	11998	4258	35%						
4402057	3_	3	A	Pass Center	0" (STI)	SHALLOW	8/6/03 18:44	10:07	8/7/03 13:31	18:47	1.225	82%	12109	14830		<u> </u>	ļ						
4402058	3	3	В	Pass Edge Pass	0" (STI)	SHALLOW	8/6/03 18:45	10:08	8/7/03 13:34	18:49	1.225	82%	12005	14708			ļ						
4402059	3	3	С	Center	0" (STI)	SHALLOW	8/6/03 18:46	10:09	8/7/03 13:35	18:49	1.225	82%	12380	15169		}			;		10733	4751	44%
4402060	3	3	D	Pass Edge	0° (STI)	SHALLOW	8/6/03 18:47	10:10	8/7/03 13:43	18:56	1.227	82%	13300	16319	15256	735	5%	10984	4733	43%	11235	5153	46%
4402061	3	4	A	Pass Center	0" (STI)	DEEP	8/6/03 18:56	10:07	8/7/03 13:47	18:51	1.226	82%	8312	10189		i	<u> </u>						
4402062	3	4	В	Pass Edge	0" (STI)	DEEP	8/6/03 18:57	10:08	8/7/03 13:49	18:52	1.226	82%	6586	8074					}		1		
4402063	3	4	С	Pass Center	0" (STI)	DEEP	8/6/03 18:58	10:09	8/7/03 13:50	18:52	1.226	82%	8111	9945			}					]	
4402064	3	4	D	Pass Edge Pass	0" (STI)	DEEP	8/6/03 18:59	10:10	8/7/03 13:52	18:53	1.226	82%	7951	9749	9489	961	10%					Ì	
4402065	3	. 5	A	Center	0" (STI)	DEEP	8/6/03 19:05	10:07	8/7/03 13:53	18:48	1.225	82%	6051	7412			Ì						
4402066	3	5	В	Pass Edge Pass	0" (STI)	DEEP	8/6/03 19:06	10:08	8/7/03 13:55	18:49	1.225	82%	5605	6867			1						
4402067	3	5	С	Center	0" (STI)	DEEP	8/6/03 19:07	10:09	8/7/03 13:56	18:49	1.225	82%	5684	6964									
4402068	3	5	D	Pass Edge Pass	0" (STI)	DEEP	8/6/03 19:08	10:10	8/7/03 13:58	18:50	1.225	82%	5061	6202	6861	500	7%						
4402069	3	6	Α	Center	0" (STI)	DEEP	8/6/03 19:12	10:07	8/7/03 14:02	18:50	1.225	82%	10152	12441									
4402070	3	6_	В	Pass Edge Pass	0" (STI)	DEEP	8/6/03 19:13	10:08	8/7/03 14:04	18:51	1.226	82%	8593	10532			l						
4402071	3	6	С	Center	0" (STI)	DEEP	8/6/03 19:14	10:09	8/7/03 14:05	18:51	1.226	82%	10823	13266		1					10036	2552	25%
4402072	3	6	D	Pass Edge	0" ( <b>STI</b> )	DEEP	8/6/03 19:15	10:10	8/7/03 14:08	18:53	1.226	82%	6710	8228	11117	2241	20%	9156	2246	25%	8275	1649	20%

Table 3

			Cam	pling Loca	tion	1				Times							MeBr (	Gas Couc (p	pmv) A <i>djus</i>	ted			
Sample No.	Interval	Plot#	Sample	Position		Trestment	Time of Collection	Elapsed Time from Application	Date-Time of Analysis	Elapsed Time from Collection to Analysis	Recovery Correction Factor	Theoretical % Recovered	Sample MeBr Gas Conc (ppmv) Unadjusted for Recovery	Adjusted Sample Conc.	Treatment Plot Replicate Interval Average	Treatment Plot Replicate Interval Std Dev.	Treatment Plot Replicate Interval CV (%SD)	Treatment Interval Average	Treatment Interval Std Dev.	Treatment Interval CV (%SD)	Sampling Position Interval Average	Sampling Position Interval Std Dev.	Sampling Position Interval CV (%SD)
4402073	4	, !	A	Pass Center	0" (STI)	SHALLOW	8/7/03 0:19	16:00	8/7/03 10:26	10:07	1.094	91%	3496	3824	}								
4402074	4	1		Pass Edge		SHALLOW	8/7/03 0:20	16:01	8/7/03 10:28	10:08	1.094	91%	3558	3893		İ							
4402075	4	1	С	Pass Center	0" (STI)	SHALLOW	8/7/03 0:22	16:03	8/7/03 10:30	10:08	1.094	91%	4139	4529									
4402076	4	<u> </u>		Pass Edge		SHALLOW	8/7/03 0:23	16:04	8/7/03 10:32	10:09	1.094	91%	4548	4977	4306	548	13%						
4402077	4	2	A	Pass Center	0" (STI)	SHALLOW	8/7/03 0:28	15:56	8/7/03 14:38	14:10	1.137	88%	9681	11004								1	
4402077	4	2		Pass Edge		SHALLOW	8/7/03 0:29	15:57	8/7/03 14:40	14:11	1.137	88%	10389	11811	]							}	
4402079	1	2	c	Pass Center	0" (STT)	SHALLOW	8/7/03 0:28	15:56	8/7/03 14:41	14:13	1.137	88%	3625	4123	,	-					1		
4402080	4	2	D		0" (STI)	SHALLOW	8/7/03 0:29	15:57	8/7/03 14:43	14:14	1.137	88%	4962	5643	8145	383	2 47%						
4402081	4	3	A	Pass Center	0" (STI)	SHALLOW	8/7/03 0:33	15:56	8/7/03 14:45	14:12	1.137	88%	7918	9003	3	Į							
4402082	4	3	В	Pass Edge	0" (STT)	SHALLOW	8/7/03 0:34	15:57	8/7/03 14:52	14:18	1.138	88%	8724	993(	<u>,</u>								
4402083	4	3	С	Pass Center	0" (STI)	SHALLOW	8/7/03 0:33	15:56	8/7/03 14:54	14:21	1.139	88%	8563	9750		Ì					7039	322	46%
4402084	4	3	D	Pass Edge	0" (STI)	SHALLOW	8/7/03 0:34	15:57	8/7/03 14:55	14:21	1.139	88%	6152	7005	s 8922	134	0 15%	6 712	4 3003	42%	7210	3061	43%
4402085	4	4	Α	Pass Center	0" (STI)	DEEP	8/7/03 0:45	15:56	8/7/03 14:57	14:12	1.137	88%	4742	539	2								
4402086	4	4	В	Pass Edge	0" (STI)	DEEP	8/7/03 0:46	15:57	8/7/03 15:05	14:19	1.138	88%	5496	625	5								
4402087	4	4	С	Pass Center	0" (STI)	DEEP	8/7/03 0:45	15:56	8/7/03 15:06	14:21	1.139	88%	7575	862:	5								
4402088	4	4	D	Pass Edg	0" (STI)	DEEP	8/7/03 0:46	15:57	8/7/03 15:07	14:21	1.139	88%	6258	712	685	137	9 209	6				1	
4402089	4	5	A	Pass Center	0" (STI)	DEEP	8/7/03 0:50	15:52	8/7/03 15:09	14:19	1.138	88%	6044	688	<u> </u>								ļ
4402090	4	5	В	Pass Edg	e 0" (STI)	DEEP	8/7/03 0:51	15:53	8/7/03 15:11	14:20	1.138	88%	529	602	9								
4402091	4_	5	С	Pass Center	0" (STI)	DEEP	8/7/03 0:50	15:52	8/7/03 15:13	14:23	1.139	88%	5653	643	9						İ		
4402092	4	5	D	Pass Edg	e 0" (STI)	DEEP	8/7/03 0:51	15:53	8/7/03 15:17	14:26	1.140	88%	504	575	4 627	645	8	<u>/6</u>					
4402093	4	6	А	Pass Center	0" (STI)	DEEP	8/7/03 0:56	15:51	8/7/03 15:22	14:26	1.140	88%	671	764	19	}	}						
4402094	4	6	В	Pass Edg	0" (STI)	DEEP	8/7/03 0:57	15:52	8/7/03 15:24	14:27	1.140	88%	714	813	18		1						
4402095	4	6	С	Pass Center	0" (STI)	DEEP	8/7/03 0:56	15:51	8/7/03 15:26	14:30	1.140	88%	668	762	20					1	710	1112	16%
4402096	5 4	6	D	Pass Edg	0" (STI)	DEEP	8/7/03 0:57	15:52	8/7/03 15:28	14:31	1.140	88%	925	9 1055	59 849	1 13:	99 16	<sub>%</sub> 720	5 144	2 209	6 731	0 181	4 25%

Table 3

										Times							MeBr (	Gas Conc (p	pmv) Adjus	ted			
			Sa	mpling Loc	ation	1	ı	ł	t	THUES	1		ļ .				}			]			<b> </b>
Sample No.	Interval	Plot#	Sample Rep	Position	Depth	Trestment	Time of Collection	Elapsed Time from Application	Date-Time of Analysis	Elapsed Time from Collection to Analysis	Recovery Correction Factor	Theoretical % Recovered	Sample MeBr Gas Conc (ppmv) Unadjusted for Recovery	Adjusted Sample Conc.	Interval	Treatment Plot Replicate Interval Std Dev.	Treatment Plot Replicate Interval CV (%SD)	Treatment Interval Average	Treatment Interval Std Dev.	Treatment Interval CV (%SD)	Sampling Position Interval Average	Sampling Position Interval Std Dev.	Sampling Position Interval CV (%SD)
4402121	6	1	А	Pass Center	0" (STT)	SHALLOW	8/7/03 17:19	33:00	8/7/03 23:31	6:12	1.104	91%	1255	1386			İ	ŀ					
4402121	6	1	В		0" (STI)	SHALLOW	8/7/03 17:20	33:01	8/7/03 23:33	6:13	1.105	91%	1719	1899									
4402122	_	1	c	Pass	0" (STI)	SHALLOW	8/7/03 17:21	33:02	8/7/03 23:35	6:14	1.105	91%	1928	2130									
4402123	6_	1		Pass Edg	1	SHALLOW	8/7/03 17:22	33:03	8/7/03 23:37	6:15	1.105	90%	1993	2203	1904	369	19%						
4402124	6	1	D	Pass		SHALLOW	8/7/03 17:32	33:00	8/7/03 23:39	6:07	1.103	91%	3989	4399		1							
4402125		2	A	Center	0" (STI)		8/7/03 17:33	33:01	8/7/03 23:40	6:07	1.103	91%	3887	4288				ĺ					
4402126	6	2	В	Pass	e 0" (STI)	SHALLOW	8/7/03 17:34	33:02	8/7/03 23:42	6:08	1.103	91%	2255	2487	}	ļ					1		
4402127	6	2	c	Center			8/7/03 17:35	33:03	8/7/03 23:44	6:09	1.103	91%	1964	2160	3335	5 117	3 35%	6			<b>\</b>		
4402128	6	2	D	Pass Edg Pass	1	SHALLOW	8/7/03 17:37	33:00	8/7/03 23:45	6:08	1.103	91%	3295	3634									
4402129	6	3		Center			8/7/03 17:38	33:01	8/7/03 23:48	6:10	1.104	91%	3638	401	3		1						
4402130	6	3	В	Pass Ed	ge 0" (STI)		8/7/03 17:39	33:02	8/7/03 23:50	6:11	1.104	91%	2856		1						2865	108	6 38%
4402131	6	3	c	Center	0" (STT)	SHALLOW	8/7/03 17:40		8/7/03 23:52	6:12	1.104	91%	335		1	6 33	105	<sub>295</sub>	5 103	2 359	6 3045	106	9 35%
4402132	2 6	3	D	Pass Ed	ge 0" (STI)	SHALLOW	8/7/03 17:49	-	8/7/03 23:57	+	1.103	1	384										
4402133	3 6	4.4	A	Cente	0" (STI	DEEP	8/7/03 17:50	<del> </del>	8/7/03 23:59		1.103	91%	445		7	1							
4402134	4 6	4	В	Pass Ed	ge 0" (STI	DEEP	8/7/03 17:51		8/8/03 0:06	<del> </del> -	1.105	91%			7		1	1					
440213	5 6	4	c	Cente	r 0" (STI	DEEP	8/7/03 17:52	-	8/8/03 0:08		1.105	90%	384			15	83 8	%					
440213	6 6	4	D	Pass Ec	-	DEEP	+	-	8/8/03 0:11	1	1.105	90%	443	<del> </del>				-			1		
440213	7 6	5	A			DEEP	8/7/03 17:58	+	8/8/03 0:13		1.105	91%	329		7		Ì						
440213	8 6	5	В	Pass E		DEEP DEEP	8/7/03 17:59	-	<del></del>		1.105	91%	360		7						1		1
440213	39 6	5	С		· 1	DEEP	8/7/03 18:00		8/8/03 0:14		1.105	90%	351		7		96						
440214	40 6		D		_	DEEP	8/7/03 18:0		8/8/03 0:16		+	90%	282	<del> </del>		3	86 11	-					
440214	41 6		5 A	Pas Cent		D DEEP	8/7/03 18:0		8/8/03 0:18	+	1.105	91%	383										
440214	42 6	,	5 В			D DEEP	8/7/03 18:0		8/8/03 0:19		1.105	91%	382	25 42	25						408	,	62 69
440214	43 6		s c	Pas Cent		T) DEEP	8/7/03 18:0	33:02	8/8/03 0:21		1.105	91%	386	68 42	7								81 209
44021	44 6		6 E	Pass I	idge 0" (S	T) DEEP	8/7/03 18:0	33:03	8/8/03 0:2	6:15	1.105	90%	51	05 56	42 45	95]	599 1:	5% 42	75  6	50 13	% 446	8	20

Table 3

	-	-		apling Loca	tion					Times							MeBr (	Gas Conc (p	pmv) Adjus	ted			
Sample No.	Interval	Diet #	Sample Rep	Position	Depth	Treatment	Time of	Elapsed Time from Application	Date-Time of Analysis	Elapsed Time from Collection to Analysis	Recovery Correction Factor	Theoretical % Recovered	Sample MeBr Gas Conc (ppmv) Unadjusted for Recovery	Adjusted Sample Conc.	Treatment Plot Replicate Interval Average	Treatment Plot Replicate Interval Std Dev.		Treatment Interval Average	Treatment Interval Std Dev.	Treatment Interval CV (%SD)	Sampling Position Interval Average	Sampling Position Interval Std Dev.	Sampling Position Interval CV (%SD)
				Pass		SHALLOW	8/8/03 12:46	52:27	8/8/03 17:20	4:34	1.112	90%	1064	1183									i
4402145	7	1	A	Center	0" (STI)	SHALLOW	8/8/03 12:47	52:28	8/8/03 17:23	4:36	1.113	90%	1210	1347									
4402146	7	1		Pass	O" (STT)		8/8/03 12:48	52:29	8/8/03 17:24	4:36	1.113	90%	1269	1413	]								
4402147	7	1	С	Center	0" (STI)	SHALLOW	8/8/03 12:49	52:30	8/8/03 17:26	4:37	1.113	90%	1146	1276		96	8%	,					
4402148	7	1	D	Pass	0" (STI)	SHALLOW	8/8/03 12:59	52:27	8/8/03 17:27	4:28	1.109	90%	2282	2532	T		T						
4402149	7	2	_ A	Center	0" (STI)	SHALLOW	8/8/03 13:00	52:28	8/8/03 17:29	4:29	1.110	90%	2464	2734	1	ĺ	ļ	ļ					ļ
4402150		2		Pass Edge Pass		SHALLOW	8/8/03 13:01	52:29	8/8/03 17:33	4:32	1.111	90%	1350	1500									l
4402151		2	С	Center	0" (STI)	SHALLOW	8/8/03 13:02	52:30	8/8/03 17:36	4:34	1.112	90%	1227		1	70	0 34%						
4402152		2	D	Pass	0" (STI)	SHALLOW	8/8/03 13:04	52:27	8/8/03 17:38	4:34	1.112	90%	2037	2265	,			]		ļ		 	
4402153	7_	3	_^_	Center	0" (STI)		8/8/03 13:05	52:28	8/8/03 17:39	4:34	1.112	90%	2227		1								
4402154	7	3	В	Pass Edg Pass		SHALLOW	8/8/03 13:06	52:29	8/8/03 17:41	4:35	1.113	90%	1608		1						1780	524	29%
4402155	7	3	C	Center	0" (STI)		8/8/03 13:07	52:30	8/8/03 17:43	4:36	1.113	90%	1921		1	7 28	9 139	6 183	5 562	31%	1889	64:	34%
4402156	7	3	D	Pass Edg Pass	e 0" (STI)		8/8/03 13:16	<del>                                     </del>	8/8/03 17:45	4:29	1.110	90%	2921										
4402157	7	4	_ ^_	Center	0" (STI)		8/8/03 13:17	<del></del>	8/8/03 17:47	4:30	1.110	90%	288		7		1				1		
4402158	7	4	В	Pass Edg Pass	e 0" (STI)		8/8/03 13:18		8/8/03 17:49	4:31	1.111		2477		7			Ì		į			
4402159	7	4	C	Center	0" (STI)	T	8/8/03 13:19		8/8/03 17:50	4:31	1.111	90%	270		7	8 22	27 79	%					
4402160	7	4	D	Pass Edg	0" (STI)	DEEP	8/8/03 13:25	<del> </del>	8/8/03 17:55		1.110	1	242	†				-					j
4402161	7	5	A	Center	0" (STI)	DEEP	8/8/03 13:26		8/8/03 17:56	<del></del>	1.110	90%	244		1					1			
4402162	2 7	5	В	Pass Ed	ge 0" (STI)	1	8/8/03 13:23	+	8/8/03 17:58	4:31	1.111	90%	169		7								
440216	3 7	5	С	Center	0" (STI)	DEEP	8/8/03 13:28		8/8/03 17:59	4:31	1.111	90%			7 .	4	62 20	.,			Ì		
440216	4 7	5	D	Pass Ed	ge 0" (STT)	DEEP	8/8/03 13:33	+	8/8/03 18:00	<del> </del>	1.110	90%	174	†		~ <del>-</del>	<u>-</u> -						
440216	5 7	6	A	Center	0" (STI	DEEP	8/8/03 13:3:		8/8/03 18:03	<del> </del>	1.110	90%	242		7								
440216	6 7	6	В	Pass Ed		) DEEP			8/8/03 18:0	<del>-                                    </del>	1.112	90%	289	1	7						261	8 44	17%
440216	7	6	С	Cente		) DEEP	8/8/03 13:3	<del></del>	-		1.113	90%	220		٦			% 28:	16 58	214			·†·
440216	8 7	6	a	Pass Ed	ge 0" (STI	DEEP	8/8/03 13:3	5 52:30	8/8/03 18:1	4:30	1.113	90%	360	9 40:	16 309	3 6	93 22	20.	30	21	501	-1	1

Table 3

		<del></del>	Sec	mpling Loc	tion				····	Times							MeBr (	Gas Conc (p	pmv) Adjus	ted			
Sample No.	Interval	Plot#	Sample	Position		Treatment	Time of Collection	Elapsed Time from Application	Date-Time of Analysis	Elapsed Time from Collection to Analysis	Recovery Correction Factor	Theoretical % Recovered	Sample MeBr Gas Conc (ppmv) Unadjusted for Recovery	Adjusted Sample Conc.	Treatment Plot Replicate Interval Average	Treatment Plot Replicate Interval Std Dev.	Treatment Plot Replicate Interval CV (%SD)	Treatment Interval Average	Treatment Interval Std Dev.	Treatment Interval CV (%SD)	Sampling Position Interval Average	Sampling Position Interval Std Dev.	Sampling Position Interval CV (%SD)
44021 <i>6</i> 9	8	1	А	Pass Center	0" (STI)	SHALLOW	8/9/03 12:46	76:27	8/9/03 15:57	3:11	1.070	93%	690	738									
4402170	8	1	В	Pass Edge	0" (STI)	SHALLOW	8/9/03 12:47	76:28	8/9/03 15:59	3:12	1.070	93%	696	745									
4402171	8	1	С	Pass Center	0" (STI)	SHALLOW	8/9/03 12:48	76:29	8/9/03 16:00	3;12	1.070	93%	647	692			}						
4402172	8	1	D	Pass Edge	0" (STT)	SHALLOW	8/9/03 12:49	76:30	8/9/03 16:02	3:13	1.071	93%	667	714	722	24	3%		ļ				
4402173	8	2	A	Pass Center	0" (STI)	SHALLOW	8/9/03 12:59	76:27	8/9/03 16:03	3:04	1.067	94%	1227	1309									
4402174	8	2	В	Pass Edge	0" (STI)	SHALLOW	8/9/03 13:00	76:28	8/9/03 16:05	3:05	1.068	94%	1352	1443			ļ						
4402175	8	2_	С	Pass Center	0" (STI)	SHALLOW	8/9/03 13:01	76:29	8/9/03 16:08	3:07	1.069	94%	788	842									
4402176	8	2	D	Pass Edge	0" (STI)	SHALLOW	8/9/03 13:02	76:30	8/9/03 16:10	3:08	1.069	94%	727	777	1093	333	30%	]	İ			]	
4402177	8_	3		Pass Center	0" (STI)	SHALLOW	8/9/03 13:04	76:27	8/9/03 16:11	3:07	1.069	94%	1125	1202									
4402178	8	3	В		0" (STI)	SHALLOW	8/9/03 13:05	76:28	8/9/03 16:13	3:08	1.069	94%	1276	1364									
4402179	8	3	c	Pass Center	0" (STI)	SHALLOW	8/9/03 13:06	76:29	8/9/03 16:15	3:09	1.069	94%	883	944	ļ	l j		<u> </u>			955	251	26%
4402180	8	3	D	Pass Edge	0" (STI)	SHALLOW	8/9/03 13:07	76:30	8/9/03 16:16	3:09	1.069	94%	1000	1070	1145	180	16%	987	279	28%	1019	325	32%
4402181	8	4_	A	Pass Center	0" (STI)	DEEP	8/9/03 13:16	76:27	8/9/03 16:17	3:01	1.066	94%	1789	1907	1	]	j						
4402182	8	4	В	Pass Edge	0" (STI)	DEEP	8/9/03 13:17	76:28	8/9/03 16:19	3:02	1.066	94%	1912	2039			•						
4402183	8	4	С	Pass Center	0" (STI)	DEEP	8/9/03 13:18	76:29	8/9/03 16:20	3;02	1.067	94%	1578	1683	1	İ	}						
4402184	8	4	D	Pass Edge	0" (STI)	DEEP	8/9/03 13:19	76:30	8/9/03 16:22	3:03	1.067	94%	1772	1890	1880	147	8%					ļ	
4402185	8	5	Α_	Pass Center	0" (STI)	DEEP	8/9/03 13:25	76:27	8/9/03 16:25	3:00	1.066	94%	1605	1711									
4402186	8	5	В	Pass Edge Pass	0" (STI)	DEEP	8/9/03 13:26	76:28	8/9/03 16:27	3:01	1.066	94%	1564	1667	{	]	1						
4402187	8	5		Center	0" (STI)	DEEP	8/9/03 13:27	76:29	8/9/03 16:29	3:02	1.067	94%	1461	1559					ļ				
4402188	8_	5	D	Pass Edge Pass	0" (STI)	DEEP	8/9/03 13:28	76:30	8/9/03 16:31	3:03	1.067	94%	1099	1173	1527	245	16%	1					
4402189	8	6	^_	Center	0" (STI)	DEEP	8/9/03 13:32	76:27	8/9/03 16:32	<del> </del>	1.066	94%_	1310	1396		]	]	1					
4402190	8	6	В	Pass Edge Pass	0" (STI)	DEEP	8/9/03 13:33	76:28	8/9/03 16:34	3:01	1.066	94%	1716	1829			•						
4402191	8	6	С	Center	0" (STI)	DEEP	8/9/03 13:34	76:29	8/9/03 16:35	3:01	1.066	94%	1384	1476					}		1622	184	11%
4402192	8	6	D	Pass Edg	0" (STI)	DEEP	8/9/03 13:35	76:30	8/9/03 16:37	3:02	1.066	94%	1987	2119	1705	334	20%	1704	274	16%	1786	340	19%

Table 3

				npling Loca	tion 1					Times							MeBr (	Gas Conc (p	pmv) Adjus	ted			
Sample			Sample		Depth	Treatment	Time of	Elapsed Time from Application	Date-Time of Analysis	Elapsed Time from Collection to Analysis	Recovery Correction Factor	Theoretical % Recovered	Sample MeBr Gas Conc (ppmv) Unadjusted for Recovery	Adjusted Sample Conc.	Treatment Plot Replicate Interval Average	Treatment Plot Replicate Interval Std Dev.	Treatment Plot Replicate Interval CV (%SD)	Treatment Interval Average	Treatment Interval Std Dev.	Treatment Interval CV (%SD)	Sampling Position Interval Average	Sampling Position Interval Std Dev.	Sampling Position Interval CV (%SD)
No.	Interval	Piot#	Rep	Position Pass			8/10/03 12:46	100:27	8/10/03 16:07	3:21	1.061												
4402193	9	1	A	Center	0" (STI)	SHALLOW	8/10/03 12:47	100:28	8/10/03 16:09	3:22	1.061	94%	421	447		}				1			
4402194	9	1_	В	Pass Edge Pass	0" (STI)	SHALLOW	8/10/03 12:48	100:29	8/10/03 16:11	3:23	1.062	94%	426	452									
4402195	9	1	С	Center	0" (STT)	SHALLOW		100:20	8/10/03 16:12	3:23	1.062	94%	538	571									
4402196	9	1	D	Pass Edge Pass	0" (STI)	SHALLOW	8/10/03 12:49					94%	390	414	471	<u></u> 69	15%	1		)			
4402197	9	2	A	Center	0" (STI)	SHALLOW	8/10/03 12:59	100:27	8/10/03 16:14	3:15	1.059	94%	710	752	1		ļ						
4402198	9	2	В	Pass Edge	0" (S11)	SHALLOW	8/10/03 13:00	100:28	8/10/03 16:15	3:15	1.059	94%	812	860									
4402199	9	2	С	Pass Center	0" (STI)	SHALLOW	8/10/03 13:01	100:29	8/10/03 16:17	3:16	1.060	94%	445	471									
4402200	9	2	D	Pass Edge	0" (STI)	SHALLOW	8/10/03 13:02	100:30	8/10/03 16:19	3:17	1.060	94%	438	464	637	200	31%	1					
4402201	9	3	Α_	Pass Center	0" (STI)	SHALLOW	8/10/03 13:04	100:27	8/10/03 16:20	3:16	1.060	94%	646	685		1	{						
4402202	9	3	В	Pass Edge	0" (STI)	SHALLOW	8/10/03 13:05	100:28	8/10/03 16:22	3:17	1.060	94%	750	795	1								
4402203	9	3	С	Pass Center	0" (STI)	SHALLOW	8/10/03 13:06	100:29	8/10/03 16:25	3:19	1.060	94%	561	595	<u>:</u>	)	1				587	118	20%
4402204	9	3	D	Pass Edge	0" (STI)	SHALLOW	8/10/03 13:07	100:30	8/10/03 16:27	3:20	1.061	94%	564	598	668	94	14%	592	151	25%	597	190	32%
4402205	,	4		Pass Center	0" (STI)	DEEP	8/10/03 13:16	100:27	8/10/03 16:28	3:12	1.058	94%	1268	1342		1			Ì		[		
4402206		4	В	Pass Edge	0" (STI)	DEEP	8/10/03 13:17	100:28	8/10/03 16:30	3:13	1.058	94%	1224	1296	<u>.</u>								
4402207		4	c	Pass Center	0" (STI)	DEEP	8/10/03 13:18	100:29	8/10/03 16:31	3:13	1.059	94%	1159	1227	,]	{				Į.	}	1	}
4402208		4	D		0" (STI)	DEEP	8/10/03 13:19	100:30	8/10/03 16:33	3:14	1.059	94%	1123	1189	1263	69	59/			1			
		5		Pass Center		DEEP	8/10/03 13:25	100:27	8/10/03 16:34	3:09	1.057	95%	1022	1		]				-			
4402209	1		A				8/10/03 13:26	100:28	8/10/03 16:36	3:10	1.058	95%	1018		1	]	}	}		]	ļ		
4402210		5	В	Pass Edgi Pass		DEEP	8/10/03 13:27	100:29	8/10/03 16:38	3:11	1.058	95%	995		1			İ					
4402211	1	5	C	Center	0" (STI)		8/10/03 13:28	100:30	8/10/03 16:40	3:12	1.058		868		1	2 7	7 79	6					
4402212	9	5	D	Pass Edg Pass			8/10/03 13:33	<del></del>	8/10/03 16:43		1.058	95%	<u> </u>	† <b>-</b>		<u> </u>	† <del>-</del>	1			İ		
4402213	9	1 6	1 A	Center	0" (STI)	DEEP	8/10/03 13:33	<del> </del>	8/10/03 16:44		1,058	95%	1184		7		1						
4402214	9	-6	В	Pass Edg	e 0" (STI)	DEEP	<del> </del>	<del> </del>	8/10/03 16:46	-	1.058	95%	990		7						1070		2004
4402215	5 9	6	c	Center	0" (STI)	DEEP	8/10/03 13:34	<del> </del>	<del> </del>		+	95%	43*	46	1							†	†
4402216	6 9	6	a	Pass Edg	0" (\$77)	DEEP	8/10/03 13:3:	100:30	8/10/03 16:48	3:13	1.058	94%	1179	124	8 100.	3 37	3 379	6 109	9 23	6 21%	1129	14	1 12%

Table 3

· 1				npling Loca	tion I	Ţ				Times							MeBr (	as Conc (p	pmv) Adjus	ted 1		. 1	, !
Sample No.	Interval	Plot#	Sample Rep	Position		Trestment	Time of Collection	Elapsed Time from Application	Date-Time of Analysis	Elapsed Time from Collection to Analysis	Recovery Correction Factor	Theoretical % Recovered	Sample MeBr Gas Conc (ppmv) Unadjusted for Recovery	Adjusted Sample Conc.	Treatment Plot Replicate Interval Average	Treatment Plot Replicate Interval Std Dev.	Treatment Plot Replicate Interval CV (%SD)	Treatment Interval Average	Treatment Interval Std Dev.		Sampling Position Interval Average	Sampling Position Interval Std Dev.	Sampling Position Interval CV (%SD)
4402217	10	1	A	Pass Center	0" (STI)	SHALLOW	8/11/03 8:19	120:00	8/11/03 12:36	4:17	1.107	90%	263	291									
4402218	10	1	В	Pass Edge	0" (STI)	SHALLOW	8/11/03 8:20	120:01	8/11/03 12:39	4:19	1.108	90%	294	325									
4402219	10	1	С	Pass Center	0" (STI)	SHALLOW	8/11/03 8:21	120:02	8/11/03 12:40	4:19	1.108	90%	296	328				<u> </u>					
4402220	10	1	D	Pass Edge	0" (STI)	SHALLOW	8/11/03 8:22	120:03	8/11/03 12:42	4:20	1.108	90%	280	310	314	17	5%					} 	
4402221	10	2_	A	Pass Center	0" (STI)	SHALLOW	8/11/03 8:32	120:00	8/11/03 12:43	4:11	1.104	91%	576	636		ļ		•				į	
4402222	10	2	В	Pass Edge	0" (STI)	SHALLOW	8/11/03 8:33	120:01	8/11/03 12:45	4:12	1.105	91%	618	683	4	Į							
4402223	10	2	c	Pass Center	0" (STI)	SHALLOW	8/11/03 8:34	120:02	8/11/03 12:48	4:14	1.105	90%	342	379	2		1						Ì
4402224	10	2	D	Pass Edge	0" (STI)	SHALLOW	8/11/03 8:35	120:03	8/11/03 12:49	4:14	1.106	90%	373	412	527	15-	29%		İ				
4402225	10	3	А	Pass Center	0" (STI)	SHALLOW	8/11/03 8:37	120:00	8/11/03 12:51	4:14	1.106	90%	557	61:	5	1	1		1				
4402226	19	3_	В		0" (STI)	SHALLOW	8/11/03 8:38	120:01	8/11/03 12:52	4:14	1.106	90%	577	638	4			İ					
4402227	10	3	С	Pass Center	0" (STI)	SHALLOW	8/11/03 8:39	120:02	8/11/03 12:54	4:15	1.106	90%	454	503	2			1			459	†	†
4402228	10	3	D	Pass Edg	0" (STI)	SHALLOW	8/11/03 8:40	120:03	8/11/03 12:55	4:15	1.106	90%	421	46	555	8	5 15%	46:	5 140	31%	472	15	7 33%
4402229	10	4	A	Pass Center	0" (STI)	DEEP	8/11/03 8:49	120:00	8/11/03 12:59	4:10	1.104	91%	1056	116	5								
4402230	10	4	В	Pass Edg	0" (STI)	DEEP	8/11/03 8:50	120:01	8/11/03 13:00	4:10	1.104	91%	1024	113	4								
4402231	10	4	С	Pass Center	0" (STI)	DEEP	8/11/03 8:51	120:02	8/11/03 13:02	4:11	1,104	91%	1014	111	5								
4402232	10	4	D	Pass Edg	0" (STI)	DEEP	8/11/03 8:52	120:03	8/11/03 13:03	4:11	1.104	91%	95	105	2 111	6 4	749	6					
4402233	10	5	A	Pass Center	0" (STI)	DEEP	8/11/03 8:58	120:00	8/11/03 13:04	<del> </del>	1.102	91%	95	104	4	ļ							
4402234	10	5	В	Pass Edg	0" (STI)	DEEP	8/11/03 8:59	120:01	8/11/03 13:06	<del>                                     </del>	1.102	91%	80		7			}					
4402235	10	5	c	Pass Center	0" (STI)	DEEP	8/11/03 9:00	120:02	8/11/03 13:07	-	1.102	91%	93		1						1		
4402236	5 10	5	D	Pass Ed	ge o" (STI)	DEEP	8/11/03 9:01	120:03	8/11/03 13:09	<del> </del>	1.103	91%	81	<del> </del>		5		-			1		
440223	7 10	6	A	Center	0" (STI	DEEP	8/11/03 9:05		8/11/03 13:13	<del> </del>	1.102	91%	87		7		1						
4402238	8 10	6	В	Pass Ed	ge 0" (STT	DEEP	8/11/03 9:06	+	8/11/03 13:13	+	1.103	91%	92		7						103	6 6	77 99
440223	9 10	6	С	Cente	0" (STI	DEEP	8/11/03 9:07	<del> </del>	8/11/03 13:1:	<del> </del>	1.103	91%	81			_				2 99			3 9
440224	0 10	6	D	Pass Ed	ge 0" (STI	) DEEP	8/11/03 9:08	120:03	8/11/03 13:1	6 4:08	1.103	91%	92	5 102	20 97	5	57 6	%] 101	191 2	<u>*L 99</u>	100	<u>*1</u>	<u> </u>

#### Table 4

Table 4 - TC440.1 and TC440.2 (after Interval 3) Quality Control and Sample Recovery of Methyl Bromide Gas Samples Project #: TC440.1 and TC440.2

Comparison of Methyl Bromide Gas Concentrations in the Tarp Soil Inter-space: Deep Broadcast Tarped vs. Shallow Broadcast Tarped Fumigation

Minimum ETA for Treatment Samples:

Average ETA for Treatment Samples:

Syringe Sar	nple Vol	ume (ml):	15 mL		Maxim	um ETA for Trea	tment Samples:	13:40								1.063511562				· · · · · · · ·	
Sample No.	Sort Code	Interval	Sample Rep	Std Cyl. No.	Std. Concentration (ppmv)	Time of  Date-Time of Collection	Date-Time of Analysis	Elapsed Time from Collection to Analysis (ETA)	Peak Area	Back Calculated Conc. (ppmv)	Average Peak Area for ETA	1	Peak Area for ETA % Std Dev. (CV)		Sampling Interval Average % Recovery for Samples	Regression Estimated Sampling Interval % Recovery for Samples	Regression Estimated 24 Hour % Recovery	Linear Regi	ression Ar Recove		Sample
4401501	1	1	a	SC31	30500	8/6/03 7:15	8/6/03 12:15	5:00	6370	28710				ĺ				m = -1	1239.5	6603.03 =	• Ъ
4401502	2	1	ь	SC31	30500	8/6/03 7:15	8/6/03 12:19	5:04	6297	28381			1				1	se <sub>m</sub> = 2		51.8304 =	
4401503	3	1	С	SC31	30500	8/6/03 7:15	8/6/03 12:21	5:06	6222	28040	6296	74	1.2%	95%			1	r <sup>2</sup> = 0	0.65353	140.025 =	
4401504	8	1	d	SC31	30500	8/6/03 8:30	8/6/03 16:31	8:01	6070	27349		1	1	1		ł		<del> </del>	0.7489	11=	
4401505	9	1	e	8C31	30500	8/6/03 8:30	8/6/03 16:33	8:03	6395	28823						95%	81%	as reg =	406822	215676 =	ss resid
4401506	10	1	f	SC31	30500	8/6/03 8:30	8/6/03 16:35	8:05	6182	27860	6215	165	2.7%	94%	95%				Section 1		
Std.	4	1	Std Rep	SC14	30500	8/6/03 12:24	8/6/03 12:24	0:00	6575	29639	]			1	}		3170		Con S		
Std.	5	1	Std Rep	SC14	30500	8/6/03 11:07	8/6/03 11:07	0:00	6748	31136		1	}			100	Z. 12				
Std.	6	1	Std Rep	SC14	30500	8/6/03 11:10	8/6/03 11:10	0:00	6782	31362	1			1						200	
Std.	7	1	Std Rep	SC14	30500	8/6/03 11:15	8/6/03 11:15	0:00	6763	31318		1	1		}					(16)	
Std.	11	1	Std Rep	SC14	30500	8/6/03 15:55	8/6/03 15:55	0:00	6438	29021	1	1		1	l						
Std.	12	1	Std Rep	SC14	30500	8/6/03 16:38	8/6/03 16:38	0:00	6540	29482	1			1	İ	70					
Std.	13	1	Std Rep	SC14	30500	8/6/03 17:18	8/6/03 17:18	0:00	6426	28964	6610	154	2.3%	ļ	ļ	(1) (A) (A) (A) (A) (A) (A) (A) (A) (A) (A	Perchange Control			1	
4401507	14	2	_ a	SC31	30500	8/6/03 9:50	8/6/03 17:10	7:20	5798	26117	1		İ			i	1			6461.49 =	
4401508	15	2	ь	SC31	30500	8/6/03 9:50	8/6/03 17:13	7:23	6224	28048	-					İ	1		258.116	62.093 =	
4401509	16	2	c	SC31	30500	8/6/03 9:50	8/6/03 17:15	7:25	6118	27568	6046	222	3.7%	94%		-				139.085 =	
4401510	19	2	d	SC31	30500	8/6/03 11:10	8/6/03 19:21	8:11	6093	27457	1					1	1		25.3555		= df
4401511	20	2	e	SC31	30500	8/6/03 11:10	8/6/03 19:23	8:13	6097	27475	-					93%	80%			174103 =	
4401512	21	2	f	SC31	30500	8/6/03 11:10	8/6/03 19:25	8:15	5897	26566	6029	115	1.9%	93%	93%			- 1-			ATTENDED ATT
Std.	17	2	Std Rep	SC14	30500	8/6/03 16:38	8/6/03 16:38	0:00	6540	29482	-			1							
Std.	18	2	Std Rep	SC14	30500	8/6/03 17:18	8/6/03 17:18	0:00	6426	28964	4		1				10 T 2 T 2 T 3 T 3 T 3 T 3 T 3 T 3 T 3 T 3				
Std.	22	2	Std Rep	SC14	30500	8/6/03 19:28	8/6/03 19:28	0:00	6318	28475	4		1		1		100	V.,		30	
Std.	23	2_	Std Rep	SC14	30500	8/6/03 20:48	8/6/03 20:48	0:00	6431	28990	4	1					100	100		ren sali	
Std.	24	2	Std Rep	SC14	30500	8/6/03 21:10	8/6/03 21:10	0:00	6598	30477	6463	109	1.7%		J	A CONTRACTOR		Section of the sectio	Call Service (Service)	PROBLEM STORY	Service Asia

#### Table 4

Table 4 - TC440.1 and TC440.2 (after Interval 3) Quality Control and Sample Recovery of Methyl Bromide Gas Samples Project # TC440.1 and TC440.2

3:10

Comparison of Methyl Bromide Gas Concentrations in the Tarp Soil Inter-space: Deep Broadcast Tarped vs. Shallow Broadcast Tarped Fumigation

Minimum ETA for Treatment Samples:

Average ETA for Treatment Samples: 6:44

Syringe Sar	mple Vol	ume (ml):	15 mL		Maxim	um ETA for Trea	atment Samples:	13:40			_					1.063511562					
Sample No.	Sort Code	Interval	Sample Rep	Std Cyl. No.	Std. Concentration (ppmv)	Time of  Date-Time of Collection	Date-Time of Analysis	Elapsed Time from Collection to Analysis (ETA)	Peak Area	Back Calculated Cone. (ppmv)	Average Peak Area for ETA	Peak Area for ETA Std Dev.	Peak Area for ETA % Std Dev. (CV)	ETA Average % Recovery for Samples	Sampling Interval Average % Recovery for Samples	Regression Estimated Sampling Interval % Recovery for Samples	Regression Estimated 24 Hour % Recovery	Linear R	egression . Reco		of Sample
4401513	50	3	a	SC31	30500	8/6/03 15:51	8/7/03 3:54	12:03	3761	16427							,	m=	-2995.6	6630.37	= b
4401514	51	3	ь	SC31	30500	8/6/03 15:51	8/7/03 3:56	12:05	4886	21825			1					se <sub>m</sub> =	803.87	310.689	= seb
4401515	52	3	c	\$C31	30500	8/6/03 15:51	8/7/03 3:57	12:06	5932	27050	4860	1085	22%	73%			}	r²=	0.60676	695.298	= seY
4401516	57	3	d	SC31	30500	8/6/03 16:58	8/7/03 5:57	12:59	5140	23081	[		1					F=	13.8865	9	= df
4401517	58	3	e	SC31	30500	8/6/03 16:58	8/7/03 5:59	13:01	6166	28242						76%	55%	ss reg =	6713298	4350958	= ss resid
4401518	59	3	f	SC31	30500	8/6/03 16:58	8/7/03 6:01	13:03	4438	19650	5248	869	17%	79%	76%	-	10/1	1		7	No.
Std.	53	3	Std Rep	SC14	30500	8/7/03 3:31	8/7/03 3:31	0:00	6536	30152	1	1							7 40	TAKE	
Std.	54	3	Std Rep	SC14	30500	8/7/03 3:43	8/7/03 3:43	0:00	6736	31201	1		1				77 T	day a	2.5	100	13. st. 5 *
Std.	55	3	Std Rep	SC14	30500	8/7/03 3:49	8/7/03 3:49	0:00	6848	31783	1							<b>.</b>			<b>8</b> 2
Std.	56	3	Std Rep	SC14	30500	8/7/03 4:00	8/7/03 4:00	0:00	6612	30549		l	1							1	
Std.	60	3	Std Rep	SC14	30500	8/7/03 6:03	8/7/03 6:03	0:00	6481	29867	6642	150	2.3%			THE REAL PROPERTY.		-512 / 17 F			40 × 40 × 5
4401519	70_	4	a	SC05	10400	8/6/03 11:11	8/7/03 8:15	21:04	1828	9075	1		1	1		1	1	m=	-437.21	2147.65	; = b
4401520	71	4	ь	SC05	10400	8/6/03 11:11	8/7/03 8:18	21:07	1892	9439	1	1	1					se <sub>m</sub> =	150.885	83.5799	= seb
4401521	72	4	c	SC05	10400	8/6/03 11:11	8/7/03 8:24	21:13	1970	9885	1897	71	3.7%	87%		1		r <sup>2</sup> =	0.51208	189.575	
4402519	75	4	2	3C05	10400	8/7/03 0:59	8/7/03 15:33	14:34	1477	7118	-				ļ			F=	8.39614	-	8 = df
4402521	77	4	c	SC05	10400	8/7/03 0:59	8/7/03 15:38	14:39	1703	8387	1590	160	10%	73%	81%	87%	80%	ss reg =	301747	287510	0 = ss resid
Std.	78	4	Std Rep	SC05	10400	8/7/03 15:44	8/7/03 15:44	0:00	2143	10907	1				}				134		
Std.	79	4	Std Rep	SC05	10400	8/7/03 15:47	8/7/03 15:47	0:00	2186	11152	4	1		1	1						Mark.
Std.	80	4	Std Rep	SC05	10400	8/7/03 15:49	8/7/03 15:49	0:00	2085	10575	-			İ							
Std.	73	4	Std Rep	SC03	10400	8/7/03 8:53	8/7/03 8:53	0:00	2250	9528	-						No.		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Std.	74	4	Std Rep	SC03	10400	8/7/03 9:24	8/7/03 9:24	0:00	2254	9546	2184	72	3.3%			e de la		No.		<b>建筑</b>	(1) A 10
4402520	76	4	b	SC05	10400	8/7/03 0:59	LOST	7.57	V + 1 000 1 2 2				200000000000000000000000000000000000000		14 /5 THE						可想表情
4401522	- 13				100	C440.2 Used for 2nd								Service (Constitution of the Constitution of t		reast.					
4408523	1723					C440.2 Used for 2nd					1 4 3										
3403523			70000		1	C440:2 Used for 2nd	sut.			ATT LYNN				11 3 2 5 6 6			Language St.				

#### Table 4

Table 4 - TC440.1 and TC440.2 (after Interval 3) Quality Control and Sample Recovery of Methyl Bromide Gas Samples Project #. TC440.1 and TC440.2

Comparison of Methyl Bromide Gas Concentrations in the Tarp Soil Inter-space: Deep Broadcast Tarped vs. Shallow Broadcast Tarped Fumigation

Minimum ETA for Treatment Samples: 3

Average ETA for Treatment Samples: 6:

Syringe Sar	mple Vo	lume (ml):	15 mL		Maxim	um ETA for Trea	atment Samples:	13:40								1.063511562					
Sample No.	Sort Code	Interval	Sample Rep	Std Cyl. No.	Std. Concentration (ppmv)	Time of  Date-Time of Collection	Date-Time of Analysis	Elapsed Time from Collection to Analysis (ETA)	Peak Area	Back Calculated Conc. (ppmv)	Average Peak Area for ETA	Peak Area for ETA Std Dev.	Peak Area for ETA % Std Dev. (CV)	ETA Average % Recovery for Samples		Regression Estimated Sampling Interval % Recovery for Samples	Regression Estimated 24 Hour % Recovery	Linear R	egression . Reco	-	of Sample
4401525	81	5	a	SC05	10400	8/7/03 6:50	8/7/03 15:52	9:02	1574	7658								m =	-1446.4	2171.76	= b
4401526	82	5	ь	SC05	10400	8/7/03 6:50	8/7/03 15:55	9:05	1751	8662	]			ţ			}	se_ =	353.362	93.9363	= seb
4401527	83	5	٥	SC05	10400	8/7/03 6:50	8/7/03 15:56	9:06	1955	9831	1760	191	11%	81%			1	r <sup>2</sup> ==	0.62623	230.101	= seY
4401528	87	5	d	SC05	10400	8/7/03 9:10	8/7/03 18:06	8:56	1738	8589	]					1	ļ	F=	16.7546	10	= df
4401529	88	5	e	SC05	10400	8/7/03 9:10	8/7/03 18:08	8:58	1018	4693	ļ		1	}		75%	33%	ss reg =	887100	529466	= ss read
4401530	89	5	f	SC05	10400	8/7/03 9:10	8/7/03 18:09	8:59	1724	8509	1494	412	28%	69%	75%		33%	7.997	****	(Market)	Market .
Std.	84	5	Std Rep	SC05	10400	8/7/03 15:59	8/7/03 15:59	0:00	2140	10887	1		1			1000		90.74		<b>E</b>	
Std.	85	5	Std Rep	SC05	10400	8/7/03 16:00	8/7/03 16:00	0:00	2221	11351			1		]	100	K to the	3.34.44			
Std.	86	5	Std Rep	SC05	10400	8/7/03 16:02	8/7/03 16:02	0:00	2166	11039	1	1			1	F 12					
Std.	90	5	Std Rep	SC05	10400	8/7/03 18:12	8/7/03 18:12	0:00	2157	10986	1	}	1	1	}		19 T.		10	201	
Std.	91	5	Std Rep	SC05	10400	8/7/03 18:13	8/7/03 18:13	0:00	2191	11183	1				1				No.		
Std.	92	5	Std Rep	SC05	10400	8/7/03 18:15	8/7/03 18:15	6:00	2161	11008	2173	29	1.3%				<b>表现外级深度</b>	APPENDED TO	ALC: NO.	STATE OF	Barris State
4401531	93	6	8	SC03	10400	8/7/03 15:57	8/7/03 21:52	5:55	1947	9782	1				1	Į	ł	m=	-793.95	2173.59	
4401532	94	6	ь	SC03	10400	8/7/03 15:57	8/7/03 21:54	5:57	1958	9845	1					1	1	se <sub>m</sub> =	88.3671	15.9638	= seb
4401533	95	6	c	SC03	10400	8/7/03 15:57	8/7/03 21:57	6:00	2051	10377	1985	57	2.9%	91%		1	1	r <sup>2</sup> =	0.88978	39.1187	
4401534	99	6	d	SC03	10400	8/7/03 18:12	8/8/03 0:28	6:16	1960	9856	1							F=	80.7251		= df
4401535	100	6	e	SC03	10400	8/7/03 18:12	8/8/03 0:30	6:18	1992	10039	1					91%	63%	ss reg =	123531	15302.7	7 = ss reaid
4401536	101	6	f	SC03	10400	8/7/03 18:12	8/8/03 0:31	6:19	1919	9623	1957	36	1.9%	90%	91%						
Std.	96	6	Std Rep	SC03	10400	8/7/03 22:01	8/7/03 22:01	0;00	2129	10822	4						03%		Sec. 16	***	
Std.	97	6	Std Rep	SC03	10400	8/7/03 22:09	8/7/03 22:09	0:00	2175	11090	-	1						12.5			
Std.	98	6	Std Rep	SC03	10400	8/7/03 22:11	8/7/03 22:11	0:00	2189	11168	1							1.0	2		
Std.	102	6	Std Rep	SC03	10400	8/8/03 0:34	8/8/03 0:34	0:00	2148	10934	4			1					<b>W</b> 1		
Std.	103	6	Std Rep	SC03	10400	8/8/03 0:37	8/8/03 0:37	0:00	2176	11095	1						1-9/19			100	KINS C
Std.	104	6	Std Rep	SC03	10400	8/8/03 0:39	8/8/03 0:39	0:00	2224	11368	2173	33	1.5%	1		N. P. S. S. S. S. S. S. S. S. S. S. S. S. S.		The Part of the Part of	OR THE PERSON	FA-ejanza	<b>科学科学</b>

#### Table 4

Table 4 - TC440.1 and TC440.2 (after Interval 3) Quality Control and Sample Recovery of Methyl Bromide Gas Samples Project #: TC440.1 and TC440.2

Comparison of Methyl Bromide Gas Concentrations in the Tarp Soil Inter-space: Deep Broadcast Tarped vs. Shallow Broadcast Tarped Fumigation

Minimum ETA for Treatment Samples:

3:10

Average ETA for Treatment Samples: 6:44

Syringe Sa	mple Vol	ume (ml):	15 mL		Maxim	um ETA for Trea	atment Samples:	13:40								1.063511562		
						Time of		Elapsed Time					Peak Area	ETA	Sampling Interval	Regression Estimated Sampling	Regression	
Sample No.	Sort Code	Interval	Sample Rep	Std Cyl. No.	Std. Concentration (ppmv)	Date-Time of Collection	Date-Time of Analysis	Collection to Analysis (ETA)	Peak Area	Back Calculated Conc. (ppmv)	Average Peak Area for ETA	Peak Area for ETA Std Dev.	for ETA % Std Dev. (CV)	Average % Recovery for Samples		Interval % Recovery for Samples	Estimated 24 Hour % Recovery	Linear Regression Analysis of Sample Recovery
4401537	105	7	a	SC06	8600	8/8/03 11:23	8/8/03 18:14	6:51	1204	5687								m = -901.71   1704.91 = b
4401538	106	7	ь	SC06	8600	8/8/03 11:23	8/8/03 18:16	6:53	1459	7108								se <sub>m</sub> = 270.617 52.6642 = seb
4401539	107	7	c	SC06	8600	8/8/03 11:23	8/8/03 18:27	7:04	1608	7972	1424	204	14%	84%				$r^2 = 0.58121 \cdot 107.475 = seY$
4401540	108	7	d	SC06	8600	8/8/03 13:38	8/8/03 18:32	4:54	1564	7711								F= 11.1027 8 = df
4401541	109	7	e	\$C06	8600	8/8/03 13:38	8/8/03 18:34	4:56	1545	7604						87%	47%	ss reg = 128246 92406.8 = ss resid
4401542	110	7	f	\$C06	8600	8/8/03 13:38	8/8/03 18:37	4:59	1524	7478	1544	20	1.3%	91%	87%			
Std.	tit	7	Std Rep	SC06	8600	8/8/03 18:18	8/8/03 18:18	0:00	1689	8448								
Std.	112	7	Std Rep	SC06	8600	8/8/03 18:44	8/8/03 18:44	0:00	1671	8343						100	MARKET SHAPE OF THE	Photos Company of the Company
Std.	133	7	Std Rep	SC06	8600	8/8/03 18:46	8/8/03 18:46	0:00	1722	8649						* * * * * * * * * * * * * * * * * * * *		
Std.	114	7	Std Rep	SC06	8600	8/8/03 18:47	8/8/03 18:47	0:00	1722	8647	1701	25	1.5%			-	44.6	
4401543	115	8	a	SC06	8600	8/9/03 11:23	8/9/03 16:40	5:17	1444	6966								m = -838.01 1703.35 = b
4401544	116	8	ь	SC06	8600	8/9/03 11:23	8/9/03 16:41	5:18	1470	7108					ł	1		se <sub>m</sub> = 192.02 28.5013 = seb
4401545	117	8	С	SC06	8600	8/9/03 11:23	8/9/03 16:43	5:20	1611	7906	1508	90	6.0%	89%		ŀ	ŀ	$r^2 = 0.73124  52.3591 = seY$
4401546	118	8	d	SC06	8600	8/9/03 13:39	8/9/03 16:45	3:06	1620	7955						ļ.		F= 19.0458 7=df
4401547	119	8	e	SC06	8600	8/9/03 13:39	8/9/03 16:46	3:07	1614	7923					ļ	91%	51%	ss reg = 52213.6 19190.3 = ss resid
4401548	120	8	f	SC06	8600	8/9/03 13:39	8/9/03 16:48	3:09	1594	7810	1609	13	0.8%	95%	92%	- 4	Contracts	
Std.	121	8	Std Rep	SC06	8600	8/9/03 16:52	8/9/03 16:52	0:00	1701	8423						200	<b>300</b>	Market Services and the
Std.	122	8	Std Rep	SC06	8600	8/9/03 16:54	8/9/03 16:54	0:00	1670	8244		į	ŀ		}	100		
Std.	123	8	Std Rep	SC06	8600	8/9/03 16:56	8/9/03 16:56	0:00	1721	8538	1697	26	1.5%				and the same	was a service of the
4401549	124	9	a	SC06	8600	8/10/03 11:23	8/10/03 15:35	4:12	1526	7421								m = -708.1 1722.57 = b
4401550	125	9	ь	SC06	8600	8/10/03 11:23	8/10/03 15:39	4:16	1641	8075		1	1		1		l	se <sub>m</sub> = 126.195 14.0832 = seb
4401551	126	9		SC06	8600	8/10/03 11:23	8/10/03 15:42	4:19	1580	7730	1582	58	3.6%	92%		j	ĺ	$r^2 = 0.75895  34.8174 = seY$
4401552	130	9	d	SC06	8600	8/10/03 13:38	8/10/03 16:50	3:12	1663	8203								F = 31.4853 10 = df
4401553	131	9	e	SC06	8600	8/10/03 13:38	8/10/03 16:52	3:14	1652	8140	]	1	1		1	94%	59%	as reg = 38168.1 12122.5 = as resid
4401554	132	9	f	SC06	8600	8/10/03 13:38	8/10/03 16:53	3:15	1622	7970	1646	21	1.3%	96%	94%			
Std.	127	و	Std Rep	SC06	8600	8/10/03 15:59	8/10/03 15:59	0:00	1747	8691		-			}	166		
Std.	128	9	Std Rep	SC06	8600	8/10/03 16:02	8/10/03 16:02	0:00	1728	8578	]	1				-		
Std.	129	9	Std Rep	SC06	8600	8/10/03 16:05	8/10/03 16:05	0:00	1699	8410	]				1	W-48		
Std.	133	9	Std Rep	SC06	8600	8/10/03 16:55	8/10/03 16:55	0:00	1687	8341						100	100	<b>STATE</b>
Std.	134	9	Std Rep	SC06	8600	8/10/03 16:57	8/10/03 16:57	0:00	1739	8642	]	}						
Std.	135	9	Std Rep	SC06	8600	8/10/03 16:58	8/10/03 16:58	0:00	1724	8558	1720	23	1.4%				Page (p)	

#### Table 4

Table 4 - TC440.1 and TC440.2 (after Interval 3) Quality Control and Sample Recovery of Methyl Bromide Gas Samples Project #: TC440.1 and TC440.2

Comparison of Methyl Bromide Gas Concentrations in the Tarp Soil Inter-space: Deep Broadcast Tarped vs. Shallow Broadcast Tarped Fumigation

Minimum ETA for Treatment Samples:

3:10

Average ETA for Treatment Samples:

Syringe Sar	nple Vol	lume (ml):	15 mL		Maxim	um ETA for Trea	atment Samples:	13:40								1.063511562					
Sample No.	Sort Code	Interval	Sample Rep	Std Cyl. No.	Std. Concentration (ppmv)	Time of  Date-Time of Collection	Date-Time of Analysis	Elapsed Time from Collection to Analysis (ETA)	Peak Area	Back Calculated Conc. (ppmv)	Average Peak Area for ETA			ETA Average % Recovery for Samples		Regression Estimated Sampling Interval % Recovery for Samples	Regression Estimated 24 Hour % Recovery		egression . Reco	-	of Sample
4401555	136	10	a	SC06	8600	8/11/03 6:56	8/11/03 12:09	5:13	1452	7002								m =	-946.14	1750.96	<b>-</b> b
4401556	137	10	ь	SC06	8600	8/11/03 6:56	8/11/03 12:11	5:15	1435	6908								se <sub>m</sub> =	166.924	25.3862	= seb
4401557	138	10	c	SC06	8600	8/11/03 6:56	8/11/03 12:12	5:16	1586	7754	1491	83	5.6%	85%		ļ		r <sup>2</sup> =	0.76262	62.1942	= seY
4401558	142	10	d	SC06	8600	8/11/03 8:17	8/11/03 13:19	5:02	1663	8193						l		F=	32.1273	10	= df
4401559	143	10	e	SC06	8600	8/11/03 8:17	8/11/03 13:21	5:04	1594	7794						88%	46%	ss reg =	124272	38681.2	== ss resid
4401560	144	10	f	SC06	8600	8/11/03 8:17	8/11/03 13:22	5:05	1560	7605	1606	53	3.3%	92%	88%						
Std.	139	10	Std Rep	SC06	8600	8/11/03 12:15	8/11/03 12:15	0:00	1729	8574	]	1				-		15.4			<b>3</b> 1
Std.	140	10	Std Rep	SC06	8600	8/11/03 12:16	8/11/03 12;16	0:00	1722	8528									1817	r producti	<b>16</b> 0
Std.	141	10	Std Rep	SC06	8600	8/11/03 12:18	8/11/03 12:18	0:00	1750	8690						1.00		(Marie Pari	20		
Std.	145	10	Std Rep	SC06	8600	8/11/03 13:24	8/11/03 13:24	0:00	1774	8829	1	Į						14-1-1			
Stđ.	146	10	Std Rep	\$C06	8600	8/11/03 13:25	8/11/03 13:25	0:00	1761	8756	ł	1	1			- 4	Marie Trans		1		(K)
Std	147	10	Std Rep	SC06	8600	8/11/03 13:26	8/11/03 13:26	0:00	1765	8780	1750	21	1.2%		1	100	200	14.4	1200	erus vis	

Table 5 - TC440.2 Quality Control and Sample Recovery of Methyl Bromide Gas Samples - First 3 intervals Project #: TC440.2

## Comparison of Methyl Bromide Gas Concentrations in the Tarp Soil Inter-space: Deep Broadcast Tarped vs. Shallow Broadcast Tarped Fumigation

Minimum ETA for Treatment Samples: 3:00

Average ETA for Treatment Samples: 8:48

Syringe Sam	ple Volur	ne (ml):	15 mL		Maxim	um ETA for Tree	itment Samples:	18:56										
Sample No.	Sort Cade	Interval	Sample Rep	Std Cyl. No.	Std. Concentration (ppmv)	Time of  Date-Time of Collection	Date-Time of Analysis	Elapsed Time from Collection to Analysis	Peak Area	Back Calculated Conc. (ppmv)	Average Peak Area for ETA	Peak Area for ETA Std Dev.	% Std	ETA Average % Recovery for Samples	Sampling Interval Average % Recovery for Samples	Regression Estimated Sampling Interval % Recovery for Samples	Regression Estimated 24 Hour % Recovery	Linear Regression Analysis of Sample Recovery
4402501	25	1	a	SC31	30500	8/6/03 10:00	8/6/03 21:03	11:03	5197	23448								m = -1990.71 6525.0558 = b
4402502	26	1	b	SC31	30500	8/6/03 10:00	8/6/03 21:05	11:05	5118	23059	1							se <sub>m</sub> = 328.48895 108.115461 = seb
4402503	27	1	c	SC31	30500	8/6/03 10:00	8/6/03 21:07	11:07	5579	25336	5298	247	4.7%	81%				$r^2 = 0.7695185   286.295383 = seY$
4402504	31	1	d	SC31	30500	8/6/03 11:20	8/6/03 23:26	12:06	5912	26997	-							F = 36.726164 11 = df
4402505	32	1	e	SC31	30500	8/6/03 11:20	8/6/03 23:28	12:08	5964	27261	1					85%	69%	se reg = 3010261.8 901615.51 = se resid
4402506	33	1	f	SC31	30500	8/6/03 11:20	8/6/03 23:30	12:10	5521	25049	5799	242	4.2%	89%	85%			
Std.	28	1	Std Rep	SC14	30500	8/6/03 19:28	8/6/03 19:28	0:00	6318	28475						]		
Std.	29	1	Std Rep	SC14	30500	8/6/03 20:48	8/6/03 20:48	0:00	6431	28990	1			ļ				
Std.	30	1	Std Rep	SC14	30500	8/6/03 21:10	8/6/03 21:10	0;00	6598	30477	1							
Std.	3.4	1	Std Rep	SC14	30500	8/6/03 23:23	8/6/03 23:23	0:00	6429	29618	1							
Std.	35	1	Std Rep	\$C14	30500	8/6/03 23:39	8/6/03 23:39	0:00	6560	30286	1		}			1		
Std.	36	1	Std Rep	SC14	30500	8/7/03 0:13	8/7/03 0:13	0:00	6647	30609	1		ŀ					
Std.	37	1	Std Rep	SC14	30500	8/7/03 O:16	8/7/03 0:16	0:00	6771	31304	6536	154	2.4%					
4402507	38	2	a	SC31	30500	8/6/03 11:45	8/7/03 0:31	12:46	5083	22797								m = -2896.96 6704.6029 = b
4402508	39	2	ь	SC31	30500	8/6/03 11:45	8/7/03 0:33	12:48	5102	22889	]			<b>[</b>				se <sub>m</sub> = 458.85775 188.374002 = seb
4402509	40	2	c	SC31	30500	8/6/03 11:45	8/7/03 0:38	12:53	4852	21660	5012	139	2.8%	75%			1	$r^2 = 0.7994349  462.77876 = seY$
4402510	44	2	đ	SC31	30500	8/6/03 12:40	8/7/03 3:35	14:55	4445	19680							1	F = 39.859116 10 = df
4402511	45	2	e	SC31	30500	8/6/03 12:40	8/7/03 3:37	14:57	4466	19782	]			1		75%	57%	ss reg = 8536394.8 2141641.81 = ss resid
4402512	46	2	f	SC31	30500	8/6/03 12:40	8/7/03 3:39	14:59	6154	28185	5022	981	20%	75%	75%		l	
Std.	41	2	Std Rep	SC14	30500	8/7/03 0:13	8/7/03 0:13	0:00	6647	30609						'	1	İ
Std.	42	2	Std Rep	SC14	30500	8/7/03 0:16	8/7/03 0:16	0:00	6771	31304		Į.	ļ	l	ĺ			
Std.	43	2_	Std Rep	SC14	30500	8/7/03 0:40	8/7/03 0:40	0:00	6754	31295	_	1						
Std.	47	2	Std Rep	SC14	30500	8/7/03 3:31	8/7/03 3:31	0:00	6536	30152	1			1				
Std.	48	2	Std Rep	SC14	30500	8/7/03 3:43	8/7/03 3:43	0:00	6736	31201	]				-		]	1
Std.	49	2	Std Rep	SC14	30500	8/7/03 3:49	8/7/03 3:49	0:00	6848	31783	6715	109	1.6%					
4402513	61	3	а	SC31	30500	8/6/03 18:50	8/7/03 14:10	19:20	4253	22984	_	1	1		1		1	m = -1574.58 6719.748 = b
4402514	62	3	ь	SC31	30500	8/6/03 18:50	8/7/03 14:12	19:22	5323	29110	]						1	se <sub>m</sub> = 468.85077 306.256425 = seb
4402515	63	3	c	SC31	30500	8/6/03 18:50	8/7/03 14:14	19:24	5717	31365	5098	758	15%	76%		1	1	$r^2 = 0.6170426   530.497567 = seY$
4402516	64	3	d	SC31	30500	8/6/03 19:17	8/7/03 14:16	18:59	5653	31001	1		1					F = 11.278798 7 = df
4402517	65	3	e	SC31	30500	8/6/03 19:17	8/7/03 14:17	19:00	5977	32852	_					81%	77%	ss reg = 3174165.7 1969993.68 = ss resid
4402518	66	3	f	SC31	30500	8/6/03 19:17	8/7/03 14:21	19:04	5853	32145	5828	163	2.8%	87%	81%	1		
Std.	67	3	Std Rep	SC31	30500	8/7/03 14:25	8/7/03 14:25	0:00	6794	37532	4				1	1	ļ	
Std.	68	3	Std Rep	SC31	30500	8/7/03 14:28	8/7/03 14:28	0:00	6697	36974	4		1			ĺ		
Std.	69	3	Std Rep	SC31	30500	8/7/03 14:32	8/7/03 14:32	0:00	6652	36716	6714	73	0	<u> </u>	<u> </u>	<u> </u>	<u> </u>	


Table 5 - TC440.2 Quality Control and Sample Recovery of Methyl Bromide Gas Samples - First 3 intervals Project #: TC440.2

#### Comparison of Methyl Bromide Gas Concentrations in the Tarp Soil Inter-space: Deep Broadcast Tarped vs. Shallow Broadcast Tarped Fumigation


Minimum ETA for Treatment Samples: 3:00
Average ETA for Treatment Samples: 8:48

Syringe San	ple Volu	me (ml):	15 mL		Maxim	um ETA for Tree	itment Samples:	18:56										
	Sort		Sample	Std Cyl.	Std. Concentration	Time of  Date-Time of	Date-Time of	Elapsed Time from Collection	Peak	Back Calculated Conc.	Peak Area	Peak Area for ETA	% Std	ETA Average % Recovery	Recovery	Regression Estimated Sampling Interval % Recovery for		Linear Regression Analysis of Sample
Sample No.	Code	Interval	Rep	No.	(ppmv)	Collection	Analysis	to Analysis	Area	(ppmv)	for ETA	Std Dev.	Dev. (CV)	for Samples	for Samples	Samples	Recovery	Recovery
4402519	75	4	a	SC05	10400	8/7/03 0:59	8/7/03 15:33	14:34	1477	7118								
4402520	76	4	ь	SC05	10400	8/7/03 0:59	LOST			2.77 L.Ez								
4402521	77	4	С	SC05	10400	8/7/03 0:59	8/7/03 15:38	14:39	1703	8387	Data fo	r Interval	4 combine	ed with TC44			•	Sampling Intervals used same set of
Std.	78	4	Std Rep	SC05	10400	8/7/03 15:44	8/7/03 15:44	0:00	2143	10907	Ì				recov	ery samples		
Std.	79	4	Std Rep	SC05	10400	8/7/03 15:47	8/7/03 15:47	0:00	2186	11152								
Std.	80	4	Std Rep	SC05	10400	8/7/03 15:49	8/7/03 15:49	0:00	2085	10575								


Graph 1 - MeBr Soil-Tarp Interspace Gas Conc. vs. Time TC440.1 Broadcast Deep vs. Shallow



Graph 2 - MeBr Soil-Tarp Interspace Gas Conc. vs. Time TC440.1 Broadcast Deep vs. Shallow - PLOT MEAN TRENDS




Graph 3 - MeBr Soil-Tarp Interspace Gas Conc. vs. Time TC440.2 Broadcast Deep vs. Shallow



**Elapsed Time from Application** 

Graph 4 - Soil-Tarp Interspace Gas Conc. vs. Time TC440.2 Broadcast Deep vs. Shallow



Graph 5 - Accumulated Methyl Bromide CT Within the Tarp-Soil Interspace - TC440.1




Table 26 - TC440.1 Summary of Methyl Bromide CT
Comparison of Methyl Bromide Gas Concentrations in the Tarp
Soil Inter-space: Deep Broadcast Tarped vs. Shallow Broadcast
Tarped Fumigation

	<del></del>	<del></del>			
			Treatment		
		Treatment	Interval Average	Treatment	
		Interval Average		Interval	Accumulative
Interval	Treatment	Date-Time	Application (hrs.)	Average CT	Treatment CT
1	DEEP	8/6/03 7:39	0:32	1170	1170
1	SHALLOW	8/6/03 8:11	0:32	35016	35016
2	DEEP	8/6/03 10:14	3:06	13544	14714
2	SHALLOW	8/6/03 10:43	3:04	62096	97112
3	DEEP	8/6/03 16:09	9:02	66704	81418
3	SHALLOW	8/6/03 16:41	9:02	84054	181166
4	DEEP	8/6/03 23:24	16:17	49510	130928
4	SHALLOW	8/6/03 23:56	16:17	40295	221461
5	DEEP	8/7/03 7:09	24:01	(6)17	
5	SHALLOW	8/7/03 7:40	24:01		207E3U(6
6	DEEP	8/7/03 16:09	33:01		
6	SHALLOW	8/7/03 16:40	33:01		
7	DEEP	8/8/03 11:36	52:28	71284	334111
7	SHALLOW	8/8/03 12:07	52:28	43077	367010
8	DEEP	8/9/03 11:36	76:28	44188	378299
8	SHALLOW	8/9/03 12:07	76:28	24838	391848
9	DEEP	8/10/03 11:36	100:28	23645	401944
9	SHALLOW	8/10/03 12:07	100:28	10160	402008
10	DEEP	8/11/03 7:09	120:01	7693	
10	SHALLOW	8/11/03 7:40	120:01	3896	

Graph 6 - Accumulated Methyl Bromide CT Within the Tarp-Soil Interspace - TC440.2




Table 27 - TC440.2 Summary of Methyl Bromide CT
Comparison of Methyl Bromide Gas Concentrations in the Tarp Soil
Inter-space: Deep Broadcast Tarped vs. Shallow Broadcast Tarped
Fumigation

				MeBr CT	
Interval	Treatment	Treatment Interval Average Date- Time	Treatment Interval Average Elapsed Time from Application (hrs.)	Treatment Interval Average CT	Accumulative Treatment CT
1	DEEP	8/6/03 11:01	2:04	10409	10409
1	SHALLOW	8/6/03 10:21	1:52	60194	60194
2	DEEP	8/6/03 12:28	3:31	28700	
2	SHALLOW	8/6/03 12:01	3:32	74795	134989
3	DEEP	8/6/03 19:05	10:08	56626	95735
3	SHALLOW	8/6/03 18:37	10:08	68316	203305
4	DEEP	8/7/03 0:50	15:53	50018	145753
4	SHALLOW	8/7/03 0:27	15:58	49454	252759
5	DEEP	8/7/03 8:58	24:01	64538	210291
5	SHALLOW	8/7/03 8:30	24:01	51415	304175
6	DEEP	8/7/03 17:58	33:01	60813	271104
6	SHALLOW	8/7/03 17:30	33:01	42036	346211
7	DEEP	8/8/03 13:25	52:28	61187	332292
7	SHALLOW	8/8/03 12:57	52:28	39862	386073
8	DEEP	8/9/03 13:25	76:28	40897	373189
8	SHALLOW	8/9/03 12:57	76:28	23684	409757
9	DEEP	8/10/03 13:25	100:28	23938	397127
9	SHALLOW	8/10/03 12:57	100:28	12891	422648
10	DEEP	8/11/03 8:58	120:01	9955	407082
10	SHALLOW	8/11/03 8:30	120:01	4550	427198

## Table 6 Interval 1

Anova: Single Factor

#### SUMMARY

Groups	Count	Sum	Average	Variance
DEEP	12	7699.2803	641.60669	929677.79
SHALLOW	12	232813.49	19401.124	77835926

#### ANOVA

Source of Variation	SS	df	MS	F	P-value	F crit
Between Groups	2.112E+09	1	2.112E+09	53.615203	2.48456E-07	7.9453457
Within Groups	866421647	22	39382802			
Total	2.978E+09	23				

## Table 7

#### **Interval 2**

Anova: Single Factor

#### SUMMARY

Groups	Count	Sum	Average	Variance
DEEP	12	38240.931	3186.7443	1924112.2
SHALLOW	12	175386.48	14615.54	12100812

#### ANOVA

Source of Variation	SS	df	MS	F	P-value	F crit
Between Groups	783704198	1	783704198	111.75877	4.34933E-10	7.9453457
Within Groups	154274171	22	7012462.3			
Total	937978369	23				

#### Table 8

#### **Interval 3**

Anova: Single Factor

#### SUMMARY

Groups	Count	Sum	Average	Variance
DEEP	12	121562.01	10130.168	3653132.8
SHALLOW	12	152712.74	12726.062	3257055.7

Source of Variation	SS	df	MS	$\overline{F}$	P-value	F crit
Between Groups	40432003	1	40432003	11.702142	0.002446491	7.9453457
Within Groups	76012074	22	3455094.3			
Total	116444077	23				

## Table 9

#### **Interval 4**

Anova: Single Factor

SUMMARY

Groups	Count	Sum	Average	Variance
DEEP	12	79260.56	6605.0466	6145752.7
SHALLOW	12	64508.227	5375.6856	3370986.6

ANOVA

Source of Variation	SS	df	MS	F	P-value	F crit
Between Groups	9067971.2	1	9067971.2	1.9056887	0.181309142	4.3009436
Within Groups	104684133	22	4758369.7			
Total	113752104	23				

#### Table 10

#### **Interval 5**

Anova: Single Factor

SUMMARY

Groups	Count	Sum	Average	Variance
DEEP	12	89034.102	7419.5085	3940777.3
SHALLOW	11	71074.303	6461.3003	2456844.6

ANOVA

Source of Variation	SS	df	MS	F	P-value	F crit
Between Groups	5269456.9	1	5269456.9	1.6293211	0.215733161	4.3247894
Within Groups	67916996	21	3234142.7			
Total	73186453	22				

#### Table 11

#### **Interval 6**

Anova: Single Factor

SUMMARY

Groups	Count	Sum	Average	Variance
DEEP	12	58875.16	4906.263	1416326
SHALLOW	12	41114	3426.167	126647.5

Source of Variation	SS	df	MS	F	P-value	F crit
Between Groups	13144112	1	13144112	17.03738	0.000441761	7.945346
Within Groups	16972706	22	771486.6			
Total	30116818	23				

## Table 12 Interval 7

Anova: Single Factor

#### SUMMARY

Groups	Count	Sum	Average	Variance
DEEP	12	39374.18	3281.182	789313
SHALLOW	12	23794.12	1982.843	145434.6

#### **ANOVA**

Source of Variation	SS	df	MS	F	P-value	F crit
Between Groups	10114101	1	10114101	21.64028	0.000122776	7.945346
Within Groups	10282223	22	467373.8			
Total	20396324	23				

## Table 13 Interval 8

Anova: Single Factor

#### SUMMARY

Groups	Count	Sum	Average	Variance
DEEP	12	22093.94	1841.162	296248.1
SHALLOW	12	12418.96	1034.914	35879.7

#### **ANOVA**

Source of Variation	SS	df	MŞ	F	P-value	F crit
Between Groups Within Groups	3900216 3653406	1 22	3900216 166063.9	23.48624	7.64976E-05	7.945346
Total	7553622	23				

## Table 14 Interval 9

Anova: Single Factor

## SUMMARY

Groups	Count	Sum	Average	Variance
DEEP	12	13030.51	1085.876	140005.7
SHALLOW	12	5599.014	466.5845	119587.9

Source of Variation	SS	df	MS	F	P-value	F crit
Between Groups	2301130	1	2301130	17,72872	0.000360782	7.945346
Within Groups	2855529	22	129796.8			
Total	5156660	23				

## Table 15 Interval 10

Anova: Single Factor

#### SUMMARY

Groups	Count	Sum	Average	Variance
DEEP	12	9444.664	787.0553	141315.3
SHALLOW	12	4782.639	398.5532	16485.66

Source of Variation	SS	df	MS	F	P-value	F crit
Between Groups	905603.2	1	905603.2	11.47779	0.002646689	7.945346
Within Groups	1735810	22	78900.47			
Total	2641414	23				

## Table 16 Interval 1

Anova: Single Factor

#### SUMMARY

Groups	Count	Sum	Average	Variance
SHALLOW	12	267528.01	22294	55957043
DEEP	12	44699.022	3724.9185	2953350.6

#### ANOVA

ource of Variatio	SS	df		MS	F	P-value	F crit
Between Groups	2.069E+09		1	2.069E+09	70.237686	2.705E-08	7.9453457
Within Groups	648014324		22	29455197			
Total	2.717E+09		23				

#### Table 17

#### **Interval 2**

Anova: Single Factor

#### SUMMARY

Groups	Count	Sum	Average	Variance
Column 1	12	216929.33	18077.444	60017265
Column 2	12	85300.284	7108.357	7551561.7

#### ANOVA

ource of Variatio.	SS	df		MS	F	P-value	F crit
Between Groups	721925232		1	721925232	21.368589	0.0001319	7.9453457
Within Groups	743257089	2	2	33784413			
Total	1.465E+09	2	3				

#### Table 18

#### **Interval 3**

Anova: Single Factor

#### SUMMARY

Groups	Count	Sum	Average	Variance
Column 1	12	131810.4	10984.2	22397461
Column 2	12	109869.49	9155.7908	5042432.7

ource of Variatio.	SS	df	MS	F	P-value	F crit
Between Groups	20058482	1	20058482	1.4619942	0.2394477	4.3009436
Within Groups	301838831	22	13719947			
Total	321897313	23				

## Table 19 Interval 4

Anova: Single Factor

#### SUMMARY

Groups	Count	Sum	Average	Variance
Column 1	12	85491.372	7124.281	9019537.5
Column 2	12	86465.887	7205.4906	2080095.9

#### ANOVA

ource of Variatio	SS	df	MS	F	P-value	F crit
Between Groups	39569.992	1	39569.992	0.00713	0.933471	4.3009436
Within Groups	122095967	22	5549816.7			
Total	122135537	23				

## Table 20 Interval 5

Anova: Single Factor

#### SUMMARY

Groups	Count	Sum	Average	Variance
Column 1	12	72361.911	6030.1593	9810198.5
Column 2	12	90403.823	7533.6519	5330923.1

#### ANOVA

ource of Variatio.	SS	df	MS	F	P-value	F crit
Between Groups	13562940	1	13562940	1.7915371	0.1944083	4.3009436
Within Groups	166552338	22	7570560.8			
Total	180115278	23				

## Table 21 Interval 6

Anova: Single Factor

#### SUMMARY

Groups	Count	Sum	Average	Variance
Column 1	12	35461.277	2955.1064	1064299.1
Column 2	12	51300.894	4275.0745	422993.54

ource of Variatio	SS	df	MS	F	P-value	F crit
Between Groups	10453895	1	10453895	14.057616	0.0011093	7.9453457
Within Groups	16360219	22	743646.34			
Total	26814114	23				

## Table 22 Interval 7

Anova: Single Factor

SUMMARY

Groups	Count	Sum	Average	Variance
Column 1	12	22017.886	1834.8238	315710.45
Column 2	12	33797.264	2816.4386	344571.75

ANOVA

ource of Variatio.	SS	df	MS	F	P-value	F crit
Between Groups	5781405.8		5781405.8	17.511924	0.0003843	7.9453457
Within Groups	7263104.2	2:	2 330141.1			
Total	13044510	2	3			

# Table 23 Interval 8 Anova: Single Factor

SUMMARY

Groups	Count	Sum	Average	Variance		
Column 1	12	11842.142	986.84514	77867.386		
Column 2	12	20448.602	1704.0502	75271.019		

ANOVA

ource of Variatio	rce of Variatio SS df		MS	F	P-value	F crit	
Between Groups	3086298.6	1	3086298.6	40.30731	2.176E-06	7.9453457	
Within Groups	1684522.5	22	76569.202				
Total	4770821	23					

## Table 24 Interval 9

Anova: Single Factor

SUMMARY

Groups	Count	Sum	Average	Variance	
Column 1	12	7104.1946	592.01622	22789.39	
Column 2	12	13191.982	1099.3319	55621.43	

ource of Variatio.	SS	df	MS		F	P-value	F crit	
Between Groups	1544215		1	1544215	39.387804	2.572E-06	7.9453457	
Within Groups	862519.02	2	22	39205.41				
Total	2406734	2	23					

## Table 25 Interval 10

Anova: Single Factor

SUMMARY

Groups	Count	Sum	Average	Variance		
Column 1	12	5585.3493	465.44578	21211.623		
Column 2	12	12221.254	1018.4378	8552.905		

ANOVA ource of Variatio.	SS	df	MS	F	P-value	F crit
Between Groups	<del></del>		1834801.1 14882.264	123.28777	1.739E-10	7.9453457
Total	2162210.9	23				

#### TC440: ANALYTICAL PROCEDURES

#### Summary:

Two types of samples were analyzed during this test; soil and gas. Soil sampling and analysis was done in accordance with Bolsa Research Associates SOP # BR-AP-004; "Determination of Soil % Moisture, Bulk Density, and Texture". Gas samples were taken from the tarp / soil interface in accordance with a slight modification of Bolsa Research Associates SOP # BR-FD-003; "Soil Gas Sampling Methods". The gas samples were then analyzed on a Buck Model 910 Gas Chromatograph in accordance with GC analytical procedures detailed in Bolsa Research Associates SOP # BR-AP-001, "Film Permeability Testing"; sections 6, 9, 10, 11.1, 11.3, and 11.5.

#### **Soil Procedures:**

Soil samples were taken at selected depths using aluminum Soil Core Sample Cylinders. These cylinders are all of a known volume. For determining Bulk Density and Moisture Content; the soil samples were weighed on a top loading laboratory balance, dried in a forced air drying oven at approximately 80° C, then cooled to room temperature and reweighed. Soil texture was determined by the Bouyoucos Hydrometer Method. This procedure is based upon the different settling rates of various types of soils when slurried and diluted in water. Temperatures and hydrometer reading of the soil / water mixtures were taken at specified times and applied to various calculations and charts to determine the various soil textures present in the samples.

#### **Gas Procedures:**

Gas samples were taken from small diameter tubing inserted under the tarps at various locations. Septa were attached to the end of the tubes and the insertion holes were taped over so as to limit the escape of any gas from under the tarps. Gas tight, 20 cc glass syringes with 1 inch stainless steel needles were used to withdraw the samples out of the tubes. To prevent any leakage out of the needles after collection, the needles were inserted into rubber stoppers before putting the syringes into storage containers for transport to the field lab for analysis. The syringes were then analyzed by Gas Chromatography.

#### Gas Chromatography Procedure:

#### Preliminary:

The first, and most critical step, in Gas Chromatography (GC) analysis is determining and obtaining / preparing / validating the standards to be used. The standards used for this study were prepared in accordance with the following Bolsa Research Associates Sop's: BR-LP-012; "Preparation of Methyl Bromide Standards by Pressure" and BR-LP-013; "Preparation of Methyl Bromide Standards by Syringe Dilution". The standards prepared according to BR-LP-012 were tested extensively against other standards and against each other to validate their concentration before certifying for use in this test. Standards prepared according to BR-LP-013 were prepared in the field as needed from the "certified / validated" standards prepared according to BR-LP-012. Due to this linkage, all the standards used for the GC analysis of the gas samples taken during this study were appropriately validated.

#### Instrumentation:

The instrument used for analysis of the gas sample was a Buck Scientific Model 910 GC, Manufactured by SRI Instruments. It is configured / equipped as follows: 1) A Valco 10 port gas valve with a 1.0 ml. gas sampling loop, configured to operate in the "6 port mode". 2) A HP-5 megabore GC column; 30 meters long, 0.53 millimeters inner diameter, and film thickness of 1.5 micrometers. 3) A SRI designed Flame Ionization Detector (FID). This instrument is operated via a computer using a software program called "Peak Simple Chromatography Data System", designed by SRI instruments and installed into both, the GC

and the computer. The computer used was a Toshiba Satellite Pro Notebook Computer, with Windows® 95 and Microsoft® Office 97.

#### Calibration:

Prior to commencing the field part of this study, two calibration curves were generated and saved in the Peak Simple computer programs Control Files. The curves covered concentration rages from 104 PPM to 51500 PPM. Initial calibration was performed the first day of the study, before any sample analysis. During the analytical part of the study, calibrations standards were checked regularly to monitor that the GC was still performing within an acceptable variability range of the initial calibration parameters. At a minimum, the calibration curve was checked and printed out at the beginning of each analytical run on the GC.

#### Sample Analysis:

Sample analysis was commenced as soon as practically possible after delivery of the samples to the field lab. Samples consisted of approximately 10-15 ml. of gas in gas – tight, glass syringes. Approximately  $\frac{1}{2}$  of the volume of sample (or at least 5 ml.) in each syringe was injected into the inlet to the Gas Sampling loop on the GC. Once activated by the computer, column injection and analysis of each sample was performed automatically by the GC software program. If a sample result was below the range of the Calibration curve, a lower concentration standard was prepared by dilution of one of the certified standards and injected in order to bracket the sample and verify its concentration. If a sample result went above the range of the calibration curve, the sample was diluted appropriately to bring it into the calibration range and rerun. If there was no response from a sample, the concentration was considered to be non-detectable.

#### **Quality Control:**

To maintain and monitor the quality of the analytical portion of this study, the following procedures were followed: 1) For each sampling interval, six "storage stability" samples were prepared. This was done by taking a certified standard into the field with the samplers and filling the designated sample syringes from the standard and storing them with the field samples during the sampling, storage, and transporting to the lab. These "storage stability" samples were treated just like the field samples and analyzed at the same time they were. For comparison, a standard equal in concentration to that used to prepare the "storage stability" samples was run alongside them during the GC analytical run. 2) For monitoring the accuracy and precision of the GC program, a calibration standard within the range of the expected sample results and the current calibration curve was run periodically during each GC run, preferably after each 10 sample injections. The above Q.C. steps were performed in addition to the steps discussed earlier in the Calibration section.

#### **Data Handling:**

The data generated during the above discussed procedures was handled as follows: !) A file folder entitled TC 440 was set up for storage of all data and related GC parameters, etc.. Daily each Peaksimple Control File and Calibration File was manually saved into this file folder 2) An Excel® Workbook was set up for the transfer and saving of all analytical data. At the end of each GC analysis, the result was copied from the PeakSimple Results file onto an Excel® Spreadsheet within the prepared workbook. This was done for all standards and samples. This workbook was saved after each addition into the TC440 file folder. 2) The PeakSimple Control files were programmed to automatically save each resultant chromatogram into a subfolder inside the TC440 file folder. 3) At the very beginning, a "Notebook Log" was set up within the PeakSimple program, to which the program would automatically store all the information relating to each GC analytical run. At the end of the study, when all the analysis was completed, this "Notebook Log" was copied over onto an Excel® Spreadsheet in the workbook saved in the TC440 File Folder. 4) When the Laptop computer containing the project data was returned to the Bolsa Research Facilities at the end of the study, all of the project data was transferred to Bolsa Research's main desktop computer in order to expedite processing and archiving.

Lab name: Bolsa Research Associates Client TriCal Analysis date: 08/06/2003 15:58:37 Method: Syringe Injection / FID Lab ID: BR884 Description: FID-CHANNEL 2 Column: Db35 Carrier: HELIUM AT 25 PSI Camer: HELIUM A1 25 PSI
Temp. prog: 440MeBrtemp..tem
Components: TC440HiMeBr2.cpt
Data file: TChi440-94.chr (C:\1-Trical\Tc440\Peaksdat) Sample: 4401013 Operator: George Smith Temperature program: Init temp Hold 40,00 0,900 0.000 40.00 Components: Int.Std Units Calibration 0.843 0.730 To440Hi080603b0.000 ppm 5845,197mV -3749.421mV 0.621 0.695 Area Area % External Units Component Description Control file Operator Data file Analysis date Sample 0.695 5734.882 99.43 25831.11 ppm FID-CHANNEL 2C:\1-Trical\ToGeorge SmiTChi440-94.08/08/2003 154401013 MeBr 5734.882 100.00 25831.11

Lab name: Bolsa Research Associates Client: TriCal Analysis date: 08/06/2003 21:10:14

Method: Syringe Injection / FID Lab ID: BR884

Description: FID-CHANNEL 2

Column: Db35

Carrier: HELIUM AT 25 PSI Temp. prog: 440MeBrtemp..tem Components: TC440HiMeBr3.cpt

Data file: TChi440-154.chr (C:\1-Trical\Tc440\Peaksdat)


Sample: 30500ppmmebrsc14std Operator: George Smith

#### Temperature program:

Final temp 40.00 Init temp Hold 40.00 0,900 0.000

#### Components:

Int.Std Units Start End Calibration Int.Std Units 0,643 0.730 Tc440Hi080603P0.000 ppm




FID-CHANNEL 2C:\1-Trics\TcGeorge SmirTChi440-15-08/08/2003 2130500ppmrrMeBi:14std

0.701 8597.884 99.71 30477.28 ppm

6597.884 100.00 30477.28


#### Calibration file: Tc440Hi080603.cal



Avg slope of curve: 0.21
Y-exis Intercept: 0.00
Linearity: 0.85
Number of levels: 6
SD/rst SD of CF's: 0.0/4.4
Y=0.000X/y+0.2378X
(2: 0.9971
Last calibrated: Wad Aug 06 12:02:43 2003


Lvi. Area/ht. Amount CF Current Previous #1/Previous #2 1774.991 8500.000 0.206 1774.137 1783.325 1767.511 2267.893 2270.370 2249.149 4757.829 21400.000 0.222 4757.829 21400.000 0.222 4784.756 4700.089 4788.858 46763.272 8783.448 41200.000 0.213 8802.827 8820.847 6725.670 10316.897 51500.000 0.200

Graph 7 - Soil and Soil-Tarp Interspace Temperatures During TC440.1 Deep Treatment (WX5)



§ Data prior to  $\sim$ 5pm, 8/6/03 is extrapolated from the same time period on 8/7/03. Temperatures on 8/6/03 were slightly cooler with a subsequent warming trend over the course of the study.


Graph 8 - Soil and Soil-Tarp Interspace Temperatures During TC440.1 Shallow Treatment (WX6)



<sup>§</sup> Data prior to  $\sim$ 5pm, 8/6/03 is extrapolated from the same time period on 8/7/03. Temperatures on 8/6/03 were slightly cooler with a subsequent warming trend over the course

Graph 9 - Soil and Soil-Tarp Interspace Temperatures During TC440.2

Deep Treatment (WX7)



\$ Data prior to  $\sim$ 5pm, 8/6/03 is extrapolated from the same time period on 8/7/03. Temperatures on 8/6/03 were slightly cooler with a subsequent warming trend over the course

Table 28 - TC440.1 Soil Moisture and Bulk Density Analysis

				Soi	l Moisture	%	Bulk Density (g/cm³)			
Sample Depth	Rep	Soil Moisture %	Bulk Density (g/cm³)	Average	Std. Dev.	% Std.Dev.	Average	Std. Dev.	% Std.Dev	
0"-6"	rep#1	9.1%	1.50							
0"-6"	гер#2	9.1%	1.50							
0"-6"	rep#3	6.5%	1.56	8.2%	2%	18%	1.52	0.03	2%	
6"-12"	rep#1	6.9%	1.35					-		
6"-12"	гер#2	5.1%	1.32							
6"-12"	гер#3	6.7%	1.38	6.2%	1%	16%	1.35	0.03	2%	
12"-18"	rep#1	7.0%	1.42							
12"-18"	rep#2	6.0%	1.47							
12"-18"	rep#3	6.9%	116	6.6%	1%	8%	1.34	0.18	14%	
18"-24	rep#1	7.9%	1.50							
18"-24	гер#2	6.1%	1.55			1				
18"-24	rep#3	7.2%	1.59	7.1%	1%	13%	1.55	0.05	3%	

= Probable outlier due to reduced soil volume. BD = 1.44 if outlier removed from bulk density average.


Table 29 - TC440.2 Soil Moisture and Bulk Density Analysis

				Soi	Soil Moisture %			Density (g	/cm³)
Sample Depth	Rep	Soil Moisture %	Bulk Density (g/cm³)	Average	Std. Dev.	% Std.Dev.	Average	Std. Dev.	% Std.Dev.
0"-6"	Rep#1	4.7%	1.67						
0"-6"	Rep#2	4.2%	1.69						ĺ
0"-6"	Rep#3	3.8%	1.77	4.3%	0%	11%	1.71	0.05	3%
6"-12"	Rep#1	0.9%	1.64						
6"-12"	Rep#2	1.7%	1.76			] 			
6"-12"	Rep#3	0.9%	1.62	1.2%	1%	43%	1.67	0.08	5%
12"-18"	Rep#1	1.2%	1.46						
12"-18"	Rep#2	2.1%	1.72	1					
12"-18"	Rep#3	2.0%	1.74	1.8%	0%	28%	1.64	0.15	9%
18"-24"	Rep#1	1.2%	1.45						
18"-24"	Rep#2	2.0%	1.72						
18"-24"	Rep#3	2.4%	1.68	1.9%	1%	32%	1.62	0.15	9%

United States Department of Agriculture

Soil C rvation Se. .je In cooperation with The Regents of the University of California, Agricultural Experiment Station

## Soil Survey of Kings County California




This soil survey is a publication of the National Cooperative Soil Survey, a joint effort of the United States Department of Agriculture and other federal agencies, state agencies including the Agricultural Experiment Stations, and local agencies. The Soil Conservation Service has leadership for the federal part of the National Cooperative Soil Survey. In line with Department of Agriculture policies, benefits of this program are available to all, regardless of race, color, national origin, sex, religion, marital status, or age.


Major fieldwork for this soil survey was completed in 1979. Soil names and descriptions were approved in 1980. Unless otherwise indicated, statements in this publication refer to conditions in the survey area in 1980. This survey was made cooperatively by the Soil Conservation Service and the Regents of the University of California, Agricultural Experiment Station. It is part of the technical assistance furnished to the Excelsior, Kings River, and Tulare Lake Resource Conservation Districts.

Soil maps in this survey may be copied without permission. Enlargement of these maps, however, could cause misunderstanding of the detail of mapping. If enlarged, maps do not show the small areas of contrasting soils that could have been shown at a larger scale.

Cover: Area of Nord soils along the Kings River, in the northern part of the survey area. The area is used mainly for crops including wainuts, apricots, peaches, alfalfa, corn, and cotton and for dairies.



ed by the U.S. Department of Agriculture, coperating agencies. Base maps are in Department of the Interior, Geological r. ography. Coordinate grid ticks and re approximately positioned.



KINGS COUNTY,

derived dominantly from sandstone and shale. The native vegetation is mainly annual grasses, forbs, and shrubs. Elevation is 500 to 2,000 feet. The average annual precipitation is 5 to 7 inches, the average annual air temperature is 64 to 65 degrees F, and the average frost-free period is 230 to 250 days.

This unit is 50 percent Kettleman loam and 40 percent Cantua coarse sandy loam. The components of this unit are so intricately intermingled that it was not practical to map them separately at the scale used.

Included in this unit are small areas of a Delgado gravelly sandy loam that is on hilltops and has slopes of 15 to 50 percent and small areas of Mercey loam. Also included are small areas of Rock outcrop on ridgetops. Included areas make up about 10 percent of the total acreage.

The Kettleman soil is moderately deep and well drained. It formed in residuum derived from sandstone or shale. Typically, the surface layer is brown loam about 13 inches thick. The underlying material is grayish brown loam about 26 inches thick. It is underlain by grayish brown, calcareous sandstone. The soil is calcareous below a depth of 1 inch.

Permeability of this Kettleman soil is moderate. Available water capacity is low to moderate. Effective rooting depth is 20 to 40 inches. Runoff is rapid, and the hazard of water erosion is high.

The Cantua soil is deep and somewhat excessively drained. It formed in residuum derived from sandstone. Typically, the Cantua soil is grayish brown and light brownish gray coarse sandy loam about 55 inches thick. It is underlain by light brownish gray, soft, calcareous sandstone.

Permeability of this Cantua soil is moderately rapid. Available water capacity is low to moderate. Effective rooting depth is 40 to 60 inches or more. Runoff is medium, and the hazard of water erosion is moderate.

This unit is used as rangeland and wildlife habitat.

This unit is suited to use as rangeland. The production of forage is limited by low rainfall, steepness of slope, and the hazard of erosion. Forage production varies with the seasonal precipitation.

Proper grazing use is essential on this unit. Livestock grazing should be managed to protect the unit from eroslon. Operating off-road vehicles on the unit can result in deterioration of the native plant community. Adequate plant cover should be left on the unit to reduce erosion and help sustain forage production.

Steepness of slope limits access by livestock and promotes overgrazing of the less sloping areas. Trails or walkways can be constructed to encourage livestock grazing in areas where access is limited. Correct placement of salt and supplemental feed also helps to distribute grazing and prevent overgrazing. Water troughs and tanks are necessary for livestock because of the limited water supply.

The characteristic plant community on this unit is mainly red brome, foxtail fescue, filaree, ripgut brome, and allscale saltbush.

This map unit is in capability subclass VIIe (15), nonirrigated.

130—Kimberlina fine sandy loam, saline-aikali. This very deep, well drained soil is on alluvial fans. It formed in alluvium derived dominantly from igneous and sedimentary rock. Slope is 0 to 2 percent. Elevation is 220 to 250 feet. The average annual precipitation is 7 to 8 inches, the average annual air temperature is 62 to 63 degrees F, and the average frost-free period is 250 to 260 days.

Typically, the soil is light brownish gray fine sandy loam to a depth of 60 inches or more. It is calcareous below a depth of 8 inches and is saline-alkali throughout. In some areas the surface layer is sandy loam.

Included in this unit are small areas of Cajon sandy loam, Kimberlina fine sandy loam that has a sandy substratum, Nord fine sandy loam that is saline-alkali, and Wasco sandy loam. Also included are small areas of Excelsior sandy loam, Garces loam, Melga silt loam, Remnoy very fine sandy loam, and Youd fine sandy loam and small areas of soils that are subject to rare periods of flooding. Included areas make up about 15 percent of the total acreage.

Permeability of this Kimberlina soil is moderately slow. Available water capacity is very low to low. Effective rooting depth is 60 inches or more. Runoff is slow, and the hazard of water erosion is slight.

This unit is used mainly for irrigated crops and for hay and pasture. It is also used for urban development.

This unit is best suited to irrigated crops that are saltand alkali-tolerant. It is limited mainly by the saline-alkali condition of the soil. Intensive management is required to reduce the salinity of the soil and maintain productivity. Content of the toxic salts can be reduced by leaching, applying proper amounts of soil amendments, and returning crop residue to the soil. Gypsum, sulfur, and sulfuric acid are among the soil amendments that can be used to reclaim the soil. If sulfur or sulfuric acid is used, lime should be present in the surface layer.

Furrow, border, and sprinkler irrigation systems are suited to this unit. The method used generally is governed by the crop grown. Because of the moderately slow permeability of the soil, the application of water should be regulated so that water does not stand on the surface and damage the crops.

A cropping system that includes crop rotation and return of crop residue to the soil or regular addition of other organic matter improves fertility, reduces crusting, and increases the water intake rate. Crops respond to nitrogen and phosphorus.

This unit is suited to hay and pasture. The main limitation is the saline-alkali condition of the soil. The concentration of salts and alkali limits the production of

rcent uum

ıŧ

3.

the

th

tion

ock

٦r

left

helps

use

зе,

ţ

b

re

0

aı

ni

SŁ

of

re

some hay and pasture plants. Content of toxic salts can be reduced by leaching, applying proper amounts of soil amendments, and returning crop residue to the soil. Gypsum, sulfur, and sulfuric acid are among the soil amendments that can be used to reclaim the soil. If sulfur or sulfuric acid is used, lime should be present in the surface layer.

Irrigation water can be applied by the sprinkler and border methods. Leveling helps to insure the uniform application of water.

Proper stocking rates, pasture rotation, and restricted grazing during wet periods help to keep the pasture in good condition and to protect the soil from erosion. Use of nitrogen and phosphorus promotes good growth of forage plants.

Population growth has resulted in increased construction of homes on this unit. The main limitation for homesite development is the saline-alkali condition of the soil. The risk of erosion is increased if the soil is left exposed during site development. Revegetation of disturbed areas as soon as possible reduces the risk of erosion. The content of toxic salts is reduced by leaching, applying proper amounts of soil amendments, and returning plant residue to the soil. Selection of adapted vegetation is critical for the establishment of lawns, shrubs, trees, and vegetable gardens. Mulch, fertilizer, and irrigation are needed to establish lawn grasses and other small-seeded plants.

The saline-alkali condition of the soil causes high corrosivity to steel and concrete. Treated steel pipe and sulfate-resistant concrete should be used.

This map unit is in capability unit IIs-6 (17), irrigated, and capability subclass VIIs (17), nonirrigated.

131—Kimberlina fine sandy loam, sandy substratum. This very deep, well drained soil is on alluvial fans. It formed in alluvium derived dominantly from igneous and sedimentary rock. Slope is 0 to 2 percent. Elevation is 250 to 1,000 feet. The average annual precipitation is 7 to 8 inches, the average annual air temperature is 62 to 64 degrees F, and the average frost-free period is 250 to 260 days.

Typically, the surface layer is light brownish gray fine sandy loam about 8 inches thick. The upper 33 inches of the underlying material is light brownish gray and grayish brown fine sandy loam, and the lower part to a depth of 60 inches or more is brown loamy fine sand. This soil is calcareous between depths of 8 and 28 inches and is noncalcareous below a depth of 28 inches. In some areas the surface layer is sandy loam or loam.

Included in this unit are small areas of Cajon sandy loam, Excelsior sandy loam, a Kimberlina fine sandy loam that is saline-alkali, Nord fine sandy loam, and Wasco sandy loam. Also included are small areas of soils that are subject to rare periods of flooding. Included areas make up about 15 percent of the total acreage.

Permeability of this Kimberlina soil is moderately rapid. Available water capacity is moderate. Effective rooting depth is 60 inches or more, but roots are mainly in the upper 40 to 60 inches of the soil. Runoff is slow, and the hazard of water erosion is slight.

This unit is used mainly for irrigated crops such as alfalfa, cotton, barley, grapes, and almonds. It is also used for homesite development.

This unit is suited to most irrigated crops. It is limited mainly by the moderate available water capacity and by the sandy substratum, which restricts rooting depth of deep-rooted crops.

Furrow, border, and sprinkler irrigation systems are suited to this unit. Applications of irrigation water should be adjusted to the available water capacity, the water intake rate, and the crop needs to avoid overirrigating and leaching of plant nutrients.

A cropping system that includes crop rotation or cover crops and return of crop residue to the soil conserves moisture, maintains tilth, and controls erosion. Generally, all crops respond to phosphorus and all crops except legumes respond to nitrogen.

If this unit is used for homesite development, it has few limitations; however, the risk of erosion is increased if the soil is left exposed during site development. Revegetation of disturbed areas as soon as possible reduces the risk of erosion. Mulch, fertilizer, and irrigation are needed to establish lawn grasses and other small-seeded plants.

If the density of housing is moderate to high, community sewage systems are needed to prevent contamination of water supplies as a result of seepage from septic tank absorption fields.

This map unit is in capability unit IIs-4 (17), irrigated, and capability subclass VIIs (17), nonirrigated.

132—Kimberlina, saline-alkali-Garces complex. This map unit is on alluvial fans. Slope is 0 to 2 percent. The vegetation in areas not cultivated is mainly annual grasses and forbs. Elevation is 210 to 250 feet. The average annual precipitation is 7 to 8 inches, the average annual air temperature is 62 to 63 degrees F, and the average frost-free period is 250 to 265 days.

This unit is 50 percent Kimberlina fine sandy loam, saline-alkali, and 35 percent Garces loam. The components of this unit are so intricately intermingled that it was not practical to map them separately at the scale used.

Included in this unit are small areas of Cajon sandy loam, a Goldberg loam and a Lakeside clay loam that have been drained, and a Lemoore sandy loam that has been partially drained. Also included are small areas of Nord fine sandy loam, most of which is saline-alkali, and small areas of soils that are subject to rare periods of flooding. Included areas make up about 15 percent of the total acreage.